

Investigator Orientation Handbook

Building 102

Division of Veterinary Resources



July 2011

<http://www.ors.od.nih.gov/sr/dvr>

Table of Contents

Investigator Orientation Checklist

1. Introduction

- Camera Policy

- Hours of Operation

- DVR Policy for Tours, Photos, and Outside Animals

2. Building and Room Entry Procedures

- Card Key

- Consequences for Non-Compliance

3. Health Status and Traffic Patterns

- DVR Building Entry

- Entering Multiple Buildings in the Same Day

4. Introduction to 102 Key Staff

5. Space Assignment Procedures

- Animal Holding

- Procedure Rooms

6. PPE Requirements

7. Floor Plan of Building 102

8. Location of Safety Equipment

9. Emergency Exit Procedures

10. Emergency On-Call List with Phone Numbers

11. Animal Room Procedures

- Procedures Prohibited in Animal Rooms

- Relevant SOPs

- General Safety SOPs

- Carnivores

- Ungulates

- Non-Human Primates

12. Use of Procedure Rooms

- Scheduling

- DVR Provided Supplies and Equipment

- Investigator Provided Supplies and Equipment

- Policies and Relevant SOPs

13. DVR Pathology Services

14. Initiating and Submitting Requests for Technical Support

15. Animal Health Reporting & Atypical Behavior Reporting

- Normal Hours

- After Hours, Weekends, and Holidays

- Atypical Behavior Reporting and Relevant SOPs

16. Facility Health Status

17. Quarantine
18. Isolation
19. Transferring Animals between NIH Facilities
20. Shipping/Transporting
21. Animal Receiving Procedures
22. Locker Room / Lunch Room / Break Room Procedures
23. Operation of Squeeze Cages/Racks, Locks
24. Animal Exposure Program Compliance
25. Additional DVR Services
 - Diagnostic Services
 - Nutrition
 - Pharmacy
 - Behavior, Social Management, and Enrichment

Gottesman Memo on Communicating Animal Care and Use Concerns within the NIH Intramural Research Program

Investigator Orientation Checklist

- Introduction
 - Camera Policy
 - Hours of Operation
 - DVR Policy for Tours, Photos, and Outside Animals
- Building and Room Entry Procedures
 - Card Key
 - Consequences for Non-Compliance
- Health Status and Traffic Patterns
 - DVR Building Entry
 - Entering Multiple Buildings in the Same Day
- Introduction to 102 Key Staff
- Space Assignment Procedures
 - Animal Holding
 - Procedure Rooms
- PPE Requirements
- Floor Plan of Building 102
- Location of Safety Equipment
- Emergency Exit Procedures
- Emergency On-Call List with Phone Numbers
- Animal Room Procedures
 - Procedures Prohibited in Animal Rooms
 - Relevant SOPs
 - General Safety SOPs
 - Carnivores
 - Ungulates
 - Non-Human Primates
- Use of Procedure Rooms
 - Scheduling
 - DVR Provided Supplies and Equipment
 - Investigator Provided Supplies and Equipment
 - Policies and Relevant SOPs
- DVR Pathology Services
- Initiating and Submitting Requests for Technical Support
- Animal Health Reporting & Atypical Behavior Reporting
 - Normal Hours
 - After Hours, Weekends, and Holidays
 - Atypical Behavior Reporting and Relevant SOPs
- Facility Health Status
- Quarantine
- Isolation
- Transferring Animals between NIH Facilities
- Shipping/Transporting
- Animal Receiving Procedures
- Locker Room / Lunch Room / Break Room Procedures
- Operation of Squeeze Cages/Racks, Locks
- Animal Exposure Program Compliance
- Additional DVR Services

Signature: _____

Date: _____

1. Introduction

Building 102 is operated by the Division of Veterinary Resources (DVR). Institutes request animal holding space and husbandry services from DVR through their APD. A current IACUC approved Animal Study Proposal (ASP) must be on file for access to be granted to DVR facilities.

Camera Policy

Cameras are not allowed in DVR facilities without prior approval of the DVR Director.

Hours of Operation

Animal holding facilities will be staffed from 7:00 am to 3:30 pm Monday through Friday. Weekend and holiday hours are between 6:00 am and 12:00 pm.

Eating, drinking, and smoking is prohibited in DVR animal holding areas and laboratories.

DVR Policy for Tours, Photos, and Outside Animals

Tours- All visits to animal and diagnostic facilities must be approved and scheduled through the Director, DVR. Individuals less than 16 years of age are not allowed in animal or diagnostic facilities. Open toed shoes are not allowed in animal or diagnostic facilities.

Photos- Still and video photography is not allowed in DVR animal or diagnostic facilities without the approval of the Director, DVR.

Outside animals- Non-research animals are not allowed in DVR facilities.

2. Building and Room Entry Procedures

Card Key

Individuals requiring access to DVR facilities will show his/her NIH ID card (both front and back of the card) to the Government Facility Manager or designee. After completion of a building orientation, the Facility Manager will assign an access code to the entry doors of the facility. The Facility Manager will also review the room entry system granting you access to rooms where your animals are housed, and the procedure rooms. See SOP 101 regarding Security and Facility Emergency Procedures at the NIH Animal Center.

Consequences for Non-Compliance

Non-compliance with DVR procedures may result in loss of access.

3. Health Status and Traffic Patterns

The current health status of the animal colony is posted on each animal room door.

DVR Building Entry

Building 102 houses carnivores and ungulates in quarantine and conventional housing as well as Non-Human Primates of different health statuses.

Conventional housed carnivores and ungulates should be entered before quarantined animals, and NHP rooms should be entered in order of health status noted on the room signs. PPE should be changed between species and discarded when leaving quarantine areas as noted on the room sign.

From time to time, this facility will house additional species such as rodents and rabbits. The facility manager will notify investigators of building entry and foot pattern changes when this occurs.

Entering Multiple Buildings in the Same Day

You must check with the Facility Veterinarian or Facility Manager of each building to determine the order of entry if you have been in any other animal facility prior to entering a DVR animal facility.

4. Introduction to 102 Key Staff

Position	Name	Phone #
Facility Manager	Kris Eckard	301-402-3961
Facility Veterinarian	Dr. Tanya Burkholder	301-443-0317
Contract Task Leader	Harold Mills	301-451-2483
Lead Veterinary Technician	Billy Magnanelli	301-451-3221

5. Space Assignment Procedures

Animal Holding

Requests for animal holding space for a specific building are made to the DVR Facility Manager. Investigators requiring additional animal holding space assignment should direct their request to their Institute Animal Program Director or designee.

Procedure Rooms

Investigators who would like to lease a dedicated procedure room should contact the DVR Facility Manager to discuss availability. Final arrangements to lease dedicated procedure rooms should be coordinated with the DVR Facility Manager, DVR Business office and IC Business office. Otherwise, procedure rooms typically support multiple investigators from various ICs.

6. PPE Requirements

Please see the following SOP 109 for DVR's PPE Requirements.

SOP 109

Approved: *Charmaine Foltz, D.V.M.* **Date:** 3/16/2011
Director, Division of Veterinary Resources, ORS

Date Issued: 6/9/2005

Date Revised: 3/16/2011

TITLE : Personal Protective Equipment (PPE)
SCOPE : All animal care and investigative staff entering animal facilities
RESPONSIBILITY : Facility manager
PURPOSE : To describe the purpose of wearing PPE and when and where it is appropriate.

GENERAL

1. Personal Protective Equipment (PPE) in the research setting serves two functions.
 - a. It protects the employee from animal allergens, noise, and from spreading infectious agents transmissible to humans outside the animal facility.
 - b. It also protects our specific pathogen free animals from infectious diseases that the employee may be carrying on their clothes or person.
2. The type of PPE required will vary based on the species, the health status of the animals and the level of contact with potential contaminants. For example, in general, more PPE is required when dumping or hosing dirty caging or handling animals. Questions regarding any circumstances not described in this SOP will be directed to the facility manager and veterinarian who will provide guidance based on a risk assessment.
3. Contract animal care staff is required to wear provided scrubs and steel toes footwear when working in the animal facility. Scrubs will not be worn beyond the 14/28 complex, in the Bldg. 10 Clinical Center (for 10A and 10B2 staff), or off of the NIH Animal Center campus.
4. Open toed shoes and clogs are not permitted in any animal facility.
5. Do not wear rubber boots or scrubs/clothing that is wet or soiled in facility administrative areas and lunch rooms.
6. PPE should cover areas of exposed skin that may come in contact with the animal. There should be no gaps between the coveralls/lab coat and gloves.
7. Specialized protective clothing or equipment may be required in specific areas (e.g. – heat resistant gloves and aprons when removing items from the autoclave, ear protection in cage wash and dog and pig holding areas).
8. Powered Air-Purifying Respirators or PAPR's provide respiratory protection to the user and will be used when there is a significant risk of splash related exposures. See [SOP 113](#) for details on operation and use of PAPRs.
9. PPE is located at the entrance to the animal facility areas and where additional PPE is necessary to enter specific areas.

10. Follow PPE chart below and signage as posted at the entrance to the animal facility and additionally at specific rooms or areas.
11. Remove and discard all disposable PPE upon exiting animal areas at designated threshold exit areas.
12. See [SOP 110](#) for additional requirements and traffic patterns for DVR facilities.

REFERENCES

Estep RD, Messaoudia I, Scott W, Wong SW. 2010. Simian herpesviruses and their risk to humans. *Vaccine* 28S: B78–B84.

ILAR. 1997. *Occupational health and Safety in the Care and Use of Research Animals*. National Academy Press: Washington DC.

CAGEWASH FACILITIES

1. The primary occupational risks from working in cage wash areas are allergens and biological contaminants in soiled caging and exposure to noise from machines.
2. The greatest exposure occurs when cages are being emptied or sprayed. To minimize exposure, staff will wear water resistant clothing and a PAPR to prevent contamination of the mucus membranes.
3. Exposure to machine noise can cause loss of concentration which can lead to accidents, increase fatigue and permanent hearing loss over time. All staff entering the cage wash area will wear hearing protection when machines are running.

CAGEWASH STAFF (DIRTY)

- Scrubs
- Steel toed shoes (dry operations)
- Steel toed rubber boots (wet operations)
- PAPR (or hair bonnet and mask – dry operations)
- Gloves
- Hearing protection (while equipment is running)
- Water resistant coveralls or Polypro with rubber apron

CAGEWASH STAFF (CLEAN)

- Scrubs
- Steel toed shoes (dry operations)
- Steel toed rubber boots (wet operations)
- Hair bonnet
- Mask
- Gloves
- Hearing protection (while equipment is running)
- Rubber apron and eye protection for wet operations (tunnel washer unloading and filling water bottles)

VISITORS / RESEARCH / ORF STAFF (CLEAN)

- Lab coat
- Hair bonnet
- Mask
- Shoe covers
- Hearing protection (while equipment is running)

VISITORS/ RESEARCH / ORF STAFF - (DIRTY)

- Lab coat
- Hair bonnet
- Mask
- Shoe covers
- Hearing protection (while equipment is running)
- Gloves and eye protection

AUTOCLAVE OPERATION – UNLOADING

- Rubber apron
- Heat resistant gloves
- Face shield

RODENT AND RABBIT FACILITIES

1. The primary occupation risk when working with rodents and rabbits is sensitization to allergens in rodent urine and rabbit fur. The greatest exposure occurs with conventional housing. In these facilities, PPE protects the wearer from exposure.
2. Ventilated racks and hoods in rodent barrier facilities significantly reduce occupational exposure to allergens. PPE in barrier facilities is primarily to prevent the introduction of potential pathogens to the rodents.
3. Contact with chemical disinfectants can cause eye and/ or skin irritation. To minimize chemical exposure staff will wear water resistant sleeves when handling cages in barrier facilities and a PAPR and water resistant coverall when sanitizing animal rooms.

FACILITY STAFF

- Scrubs
- Steel-toes shoes
- Hair bonnet
- Mask
- Gloves
- Shoe covers
- Lab coat (conventional facilities)

VISITORS / RESEARCH STAFF

- Lab coat or coverall
- Hair bonnet
- Mask
- Gloves (if handling animals)
- Shoe covers

CHANGING / HANDLING RODENT CAGES

- Add water resistant sleeves

HANDLING RABBITS / CHANGING PANS

- Add lab coat (remove before exiting room)

RODENT / RABBIT ROOM SANITATION (In addition to requirements above)

- Add PAPR
- Add Water resistant coverall

BIOHAZARD, QUARANTINE, CHEMICAL OR RADIOLOGICAL HAZARD POSTED ROOMS

- Follow directions on door signage for special equipment
- Remove additional PPE before exiting room

ISOLATION ROOMS (Appropriate PPE for facility entry)

- Exit to dirty corridor wherever possible and remove PPE at de-gowning area
- If returning to clean corridor change all PPE

NONHUMAN PRIMATE FACILITIES

1. In nonhuman primate facilities PPE has two main functions:
 - a. Protect humans from *Macacine herpesvirus 1* (McHV1) which is transmitted in macaque bodily fluids and gains access to the human body through mucosal surfaces or open wounds (Estep, 2010)
 - b. Protect the nonhuman primates from human respiratory infections
2. To minimize the risk of transmission of McHV1 via a splash, all exposed skin on the arms, legs and torso must be covered when entering a NHP room and/ or when working with NHP. For this reason, visitors and investigators who are wearing shorts or skirts will be asked to change into scrubs or wear a jumpsuit before entering the animal facility.
3. Masks protect NHP from human respiratory infections. PAPRs protect the wearer but do not filter expired air. For this reason staff wearing a PAPR must still wear a mask.
4. During daily sanitation high level of bacteria from the feces are present in the wash water, and contaminate the floor. During sanitation, staff will wear water resistant outerwear, and a PAPR to avoid prevent contaminated water and/ or chemical disinfectants from contacting the mucus membranes. To prevent spreading bacteria to administrative areas, staff will step in a foot bath when exiting the animal room and visitors will wear shoe covers while in animal areas.
5. All individuals handling or manipulating NHP must wear a disposable lab coat or coverall. This layer will be removed with gloved hands and protects the wearer from contacting soiled scrubs with bare hands.

FACILITY STAFF

- Long sleeved scrubs
- Steel toes shoes
- Gloves (2 pairs)
- Mask
- Hair bonnet
- PAPR (if there is a splash hazard) **or**
Face shield with safety glasses or goggles

VISITORS / RESEARCH STAFF

- Lab coat or coverall
- Mask
- Hair bonnet
- Face shield with safety glasses or goggles
- Gloves
- Shoe covers

NHP ROOM SANITATION / CAGE CHANGING

- Add water resistant coveralls
- Add rubber boots (steel-toe)
- PAPR

NHP MANIPULATIONS/ PROCEDURES (In addition to requirements above)

- Add lab coat or coveralls
- Change gloves between groups of animals or if they are soiled
- Change lab coat / coverall if it gets wet or soiled

BIOHAZARD / CHEMICAL / RADIOLOGICAL HAZARD OR QUARANTINE POSTED ROOMS

- Follow directions on door signage for special equipment
- Remove additional PPE before exiting room

CARNIVORE/UNGULATES FACILITY ENTRY – Wings/Areas adjacent to animal kennels

1. The primary occupational risks from working daily in carnivore and ungulate areas is associated with sensitization to allergens originating in the animal's saliva, hair and skin and exposure to loud noise.
2. The greatest allergen exposure occurs when handling and manipulating the animals. To minimize exposure, individuals handling or manipulating animals will wear gloves, and street clothes will be covered with a lab coat.
3. During daily sanitation high level of bacteria from the feces are present in the wash water, and contaminate the floor. During sanitation, staff will wear water resistant outerwear, and a PAPR to avoid prevent contaminated water from contacting their mucus membranes. To prevent spreading bacteria to administrative areas, staff will step in a foot bath when exiting the animal room and visitors will wear shoe covers while in the animal wing.

CARNIVORES / UNGULATES STAFF

- Scrubs
- Safety shoes (steel-toe)
- Hearing protection (as posted)

VISITORS/ RESEARCH / ORF STAFF

- Shoe covers
- Hearing protection (as posted)

ROOM / KENNEL / STALL SANITATION

- Add Water resistant coveralls or apron
- Add Rubber boots
- Add PAPR (goggles or a face shield may be used to sanitize outdoor kennels when the ambient temperature is over 85° F)
- Add Gloves

CARNIVORES / UNGULATES MANIPULATIONS/ PROCEDURES (In addition to requirements above)

- Add Gloves
- Lab coat (Visitor / Research Staff Only)

BIOHAZARD / CHEMICAL / RADIOLOGICAL HAZARD OR QUARANTINE POSTED ROOMS

- Follow directions on door signage for special equipment
- Remove additional PPE before exiting room

TRANSPORTING ANIMALS

Animal transportation staff are exposed to the same species specific hazards as listed for facility staff while loading and unloading animals.

ANIMAL TRANSPORTATION STAFF

- Uniform provided
- Steel toes shoes

RODENT TRANSPORTS (LOADING AND UNLOADING)

- Add gloves

NHP TRANSPORTS (LOADING AND UNLOADING)

- Add Mask
- Add gloves (2 pairs)
- Add goggles
- Add water resistant coveralls (under wet conditions)

AWAKE CARNIVORES AND UNGULATES (LOADING AND UNLOADING)

- Add Hearing protection
- Add gloves


TRUCK SANITATION

- Water resistant coveralls
- Goggles
- Gloves
- Rubber boots or shoe covers

7. Floor Plan of Building 102

National Institutes of Health
Poolesville, Maryland

Building 102
OD, ORS, DVR



8. Location of Safety Equipment

- Emergency showers
- Eye wash station
- Bite / scratch kit (NHP facilities)
- Material safety data sheets


Evacuation Floor Plans are posted at various locations throughout the building to show where emergency equipment is located and the nearest emergency exit route. See floor plan below.

National Institutes of Health

Poolesville, Maryland

EMERGENCY EVACUATION FLOOR PLAN

Building 102
OD, ORS, DVR



Pull Station/Fire Alarm



Fire Extinguisher



Emergency Eyewash



Auto. External Defib.



Emergency Shower



Bite / Scratch Kit

9. Emergency Exit Procedures

Secure animals in their home cage or transport cage as necessary. Quickly and carefully exit the facility at the nearest exit. After exiting the building, report to the facilities Occupant Emergency Coordinator (OEC) in the bright orange vest or his/her alternate at the pre-designated meeting site so they can provide the Fire Department a building occupant status report. Do not enter the facility until the all clear has been given by the OCE or his/her alternate.

The designated meeting point for Building 102 is on the grass lawn area across the parking lot, in front of the main administration area.

10. Emergency On-Call List with Phone Numbers

Emergency contact phone numbers are posted on red and white plastic holders throughout the buildings. For after hour animal health issues call the DVR Veterinarian on call. For facility issues call the Facility Manager.

11. Animal Room Procedures

Procedures Prohibited in Animal Rooms

The following procedures are **not** to be performed in animal rooms:

- Euthanasia
- Incisions
- Necropsy
- Stereotaxic procedures
- Surgery

Relevant SOPs

These relevant SOPs and can be found on the following pages:

General Safety SOPs

- 108: Wound Care Instructions for Employees Injured by Animals Other Than Macaques
- 900: Requesting Transportation Services
- 601: Working Safely with Nonhuman Primates (NHP)

Carnivores

- 701: Care and Husbandry of Dogs and Cats

- 703: Food and Water for Dogs
- 705: Escaped Dogs

Ungulates

- 801: Care and Husbandry of Pigs
- 803: Food and Water for Pigs
- 808: Procedures for Handling Escaped Agricultural Animals

Non-Human Primates

- 602: Food and Water for Nonhuman Primates
- 603: Care and Husbandry of Nonhuman Primates (NHP)
- 609: Procedures for Handling Escaped Animals - Nonhuman Primates
- 625: Cage Changing and Sanitation of NHP Radiation Rooms

SOP 108

Approved: *Charmaine Foltz, D.V.M.* **Date:** 3/4/2010
Director, Division of Veterinary Resources, ORS

Date Issued: 6/3/1996

Date Revised: 3/4/2010

TITLE : Wound care instructions for employees injured by animals other than macaques
SCOPE : All personnel
RESPONSIBILITY : Veterinarians and OMS
PURPOSE : To outline procedures to be followed in the event of an injury from an animal, other than macaques

1. Immediately following a potential exposure (for example due to a bite, scratch or splash) from non-macaque, scrub the wound under a stream of water with soap for 15 minutes. Eye and mouth splashes should be irrigated with water or saline for 15 minutes.
2. **If the injury is extensive and/ or bleeding profusely, the injured person or someone nearby should immediately call 911 for assistance.**
3. Report the injury to your supervisor and complete an Accident Report Form.
4. For injuries occurring between 7:30 am through 5:00 pm, Monday through Friday, proceed immediately to Occupational Medical Service (OMS) Building 10, Room 6C306 once the wound has been cleaned.
5. If in doubt whether additional medical care is needed when OMS is closed (5:00 pm through 7:30 am, Monday through Friday, weekends and holidays), contact the on-call OMS health care provider through the NIH page operator at (301) 496-1211. Provide the page operator with your name, location and phone number. If you do not receive a call from the OMS healthcare provider within 15 minutes, call the page operator again and request that he or she page both OMS healthcare providers on-call.
6. The injury will be recorded in the facility injury log, documenting the date and time of the injury, the employee's name, animal number and circumstance of the injury.

SOP 900

Approved: *Charmaine Foltz, D.V.M* Date: 3/8/2011
Director, Division of Veterinary Resources, ORS

Date Issued: 09/22/2003

Date Revised: 3/8/2011

TITLE : Requesting Transportation Services
SCOPE : All personnel requesting transportation services
RESPONSIBILITY : Facility Manager, Transportation Personnel, Veterinarians
PURPOSE : Describe procedures for requesting transportation of animals and research samples

GENERAL

1. Transportation may be requested between 7:00 AM and 3:30 PM Mon. through Fri., excluding holidays. Service may be arranged outside of these hours upon request at least 3 days in advance.
2. Regular daily schedules have been established to transport large animals to and from the NIH Animal Center in Poolesville. Refer to this schedule when requesting transportation and planning procedures on the appropriate day for each species.
 - **Monday** Non-human primates
 - **Tuesday** Ungulates
 - **Wednesday** Canines
 - **Thursday** Non-human primates
 - **Friday** Ungulates
3. Veterinary emergencies take precedence over all other requests. Other unusual circumstances may require special transport. These are typically handled on a first come, first served basis as resources become available and are prioritized based on requirements of the request. Call the transportation office in the event of an emergency.
4. Whenever possible, request transportation late morning or early afternoon to avoid scheduling conflicts with regular large animal shipments or creating delays.

SCHEDULING TRANSPORTATION

1. It is imperative to coordinate arrangements in advance through facility managers, technicians, or veterinarians at both the pick-up and delivery sites.
2. Determine availability of transportation staff and vehicles **before** scheduling procedures or making airline arrangements for a particular date.
3. After arrangements have been made with both facilities, submit a request for service by using the DVR Animal Transportation Request website <http://dvr.od.nih.gov> .

4. Animal transportation requests are prioritized as follows:
 - a. Animal emergency transports
 - b. Time critical transport such as airport, surgery, MRI/NMR/PET scans
 - c. Standing regularly scheduled large animal transport
 - d. Rodent and rabbit transport on campus and satellite facilities
5. Label each shipping box/container with the contact name, contact addresses and contact phone number for both the shipping, and receiving facilities.
6. Should the need arise to change a scheduled pick up time or date due to schedule conflict, you will receive an email confirmation of the changes from OD DVR Transportation or a staff member will contact you as soon as possible.
7. Upon delivery, the recipient will be required to sign a DVR Transportation Form to acknowledge receipt.

SOP 601**Approved:** *Charmaine Foltz, DVM* **Date:** 6/8/2010
Director, Division of Veterinary Resources, ORS**Date Issued:** 7/1/1992**Date Revised:** 6/8/2010

TITLE : Working Safely with Nonhuman Primates (NHP)
SCOPE : All staff working with NHP
RESPONSIBILITY : Facility Manager and Veterinarian
PURPOSE : To describe safety procedures for working with NHP

GENERAL

1. No one under the age of 18 is authorized to be in the animal areas of all DVR nonhuman primate facilities.
2. Eating, chewing gum, applying makeup etc. are prohibited in all animal holding and procedure rooms.
3. Current enrollment in the Animal Exposure Program (AEP) for nonhuman primates is required to work with nonhuman primates. Contract employees must be enrolled in an equivalent occupational health program. Documentation of enrollment either must be on file in the facility or listed on a database provided by OMS or the contractor. Retrovirus Exposure Surveillance Program (RESP) enrollment is recommended for personnel working with animals which are known or suspected to be infected with SIV or HIV-2.
4. Herpes B virus (*Cercopithecine herpesvirus 1*) is one of the most important hazards facing handlers of nonhuman primates. Wound care instructions are outlined in SOP [103](#). Individuals working with macaques must be familiar with the guidelines for working with these species and be familiar with where the exposure kits are kept and how to use them.
5. All accidents and injuries involving animals (especially bites, scratches and splashes), animal waste or equipment will be reported promptly to the facility manager or veterinarian. Refer to SOP [103](#).
6. Animal room doors will be kept closed except when moving equipment in or out.
7. Animal rooms are checked and secured by close of business each day by animal care personnel. To obtain access outside of typical business hours contact facility management.
8. Always wash your hands after removing gloves and prior to eating or drinking. Do not enter office space or the break area with soiled scrubs or soiled boots or with PPE that has been in animal areas.

INTERACTING WITH NHP

NOTE: Close interaction with laboratory primates may put individuals at risk for bites, scratches, or splashes.

1. Review the safety training videotape Working Safely with Nonhuman Primates , SOP [109](#), and SOP [110](#) , protective clothing and room entry sequence, before interacting with nonhuman primates. Each individual who will be working with nonhuman primates will receive orientation and supplemental training regarding appropriate interaction with primates from an experienced staff member or supervisor prior to working with monkeys.
2. Before entering nonhuman primate rooms, look through the window in the door to make certain that no animal has escaped from their cage. If a loose animal is not observed, some clues that an animal may be loose include mops and squeegees in the middle of the floor, etc. If an animal is outside of its enclosure, follow SOP [609](#) .
3. While in a nonhuman primate room, always be aware of your surroundings. Never back up unless aware of what is behind you. NHPs have a tendency to reach out of their cage and grab at personnel.
4. Avoid making quick or sudden movements, loud noises, or staring directly at the animals' eyes
5. Non-contact interaction with nonhuman primates may include:
 - a. Lipsmacking to macaques
 - b. Speaking in a calm, soft voice to the animal
6. Avoid unnecessary physical contact with nonhuman primates.
7. Avoid handling nonhuman primates unless they are chemically restrained.
8. Only personnel trained and proficient in hand capturing animals are allowed to handle non-sedated animals. Certain species of nonhuman primates, e.g. squirrel monkeys, owl monkeys, and marmosets, must be hand-caught without prior use of chemical restraint. See SOP [609](#).

SOP 701

Approved: *Charmaine Foltz, D.V.M.* **Date:** 4/22/2010
Director, Division of Veterinary Resources, ORS

Date Issued: 1/1/2004

Date Revised: 4/22/2010

TITLE : Care and Husbandry of Dogs and Cats
SCOPE : Animal Care Staff
RESPONSIBILITY : Facility Manager
PURPOSE : To describe procedures for care and husbandry of dogs and cats

DAILY OBSERVATIONS

1. Observe all animals in the morning between 6:30 and 8:00 am and again in the afternoon between 2:00 and 3:00 pm. On weekends and holidays, the second observation occurs between 11:00 am and 12:00 noon. Report any unusual findings to the facility veterinarian by 9:00 a.m.
2. Record the temperature and humidity in the animal facility on the Animal Room Husbandry Log, and note any physical plant problems, including temperature and humidity readings outside the acceptable range (circle on husbandry log), or wild rodents and insects in the animal areas to your supervisor. These problems will be listed on the daily report submitted by the contract supervisor and a maintenance service request (trouble call) will be initiated by the facility manager or designee in a timely manner. Report any emergency issues (i.e. floods, power outages, etc.) to the facility manager or designee immediately.
3. During weekend shifts, report all problems to the contract supervisor on call. The supervisor will either place an online maintenance request, or for critical issues will call ORF at 301-435-8000 in Bethesda, or the NIHAC Power Plant at 301-496-9040 in Poolesville, or if there is no response, 301-435-8000 in Bethesda. The contract supervisor will provide a report by 10 a.m. to the government facility manager on call for the weekend.
4. Emergency numbers are posted on the red signs near the front entrances to the facility if the problem requires immediate attention.

DAILY TASKS

1. Feed animals in the morning between 6:30 and 8:00 am and again in the afternoon between 2:00 and 3:00 pm. On weekends and holidays, the second feeding occurs between 11:00 am and 12:00 noon.
2. Check each water lixit to ensure it is functional. Alert your supervisor and the facility manager of any malfunctioning lixits immediately. If the lixit cannot be repaired in a timely manner, the supervisor or facility manager will determine if the animals will be moved to another kennel or provided water in bowls.
3. Sanitize kennels as described in SOP [708](#).
4. Restock supplies (food, disinfectants, etc.) as needed. Report low supply levels to the facility manager so that they may be re-ordered.

5. Record all husbandry procedures on Animal Room Husbandry Log. Secure doors. Check lights and light timers.

MONTHLY

1. Weigh all animals and give the weight log to the veterinary technicians to record in the dog's medical record as described in SOP [703](#).
2. Trim toenails and groom animal as necessary. Record any procedures performed in the animal's health record.

IDENTIFICATION

1. All dogs will be individually identified by either a microchip, or tattoo.

SOP 703

Approved: *Charmaine Foltz, D.V.M.* Date: 4/22/2010
 Director, Division of Veterinary Resources, ORS

Date Issued: 2/1/2006

Date Revised: 4/22/2010

TITLE : Food and Water for Dogs
SCOPE : Animal Care Staff
RESPONSIBILITY : Facility Manager and Veterinarians
PURPOSE : To describe procedures for providing food and water for dogs

GENERAL

1. On the day of arrival or at the end of the quarantine period (if the sender provides food that the dogs have been consuming), dogs will be assigned to a food group by the receiving veterinarian using the following chart as a guideline. The assigned food group will be indicated at the cage level and in the animal's medical record.

Recommended Food Quantity of Purina 5L18 Diet*

Group	Dog Size	Dog weight	Approximate Feed Amount (Grams/Day)
Yellow	Small beagle	< 10 Kg	186
Blue	Standard beagle	10-14 Kg	245
Green	Small hound	15-18 Kg	300
Orange	Medium hound	19-23 Kg	363
Red	Large Hound	23-28 Kg	412

* Calculation based on Small Animal Clinical Nutrition, 2002 recommended energy need of adult dog at maintenance ($130 \times W_{\text{kg}}^{0.75}$).

2. Food cups, identified by color to correspond with the different ration quantities, and precut to deliver the correct weight of food for that group per day will be used for feeding.* The dog's assigned food group color indicates the measuring cup to be used for feeding. The cup should be evenly filled with food at each meal.
3. Any food cup that is worn, cracked or broken will be discarded and replaced immediately.
4. Dogs will be fed at the intervals described in SOP [701](#).
5. Any dog not eating, or that appears to be gaining or losing excessive weight will be brought to the attention of the veterinarian.
6. During specific life stages (gestation, lactation, infancy), or illness, the ration offered and the amount of food given may be adjusted at the discretion of the veterinarian. The new ration and the amount will be recorded in the animal's medical record and at the cage level.
7. Additional food treats may be offered for enrichment, in accordance with SOP [421](#).

8. Remove all old, leftover feed from the feeder and cage prior to giving any fresh feed.
9. Follow procedures described in SOP [907](#) with respect to receipt of food and sanitation of feed containers.
10. Dogs will only be fed fresh, in date feed as described in SOP [1039](#).
11. All dogs will have access to fresh drinking water *ad libitum* unless an approved Animal Study Proposal requires controlled amounts of water.

ASSESSING ADEQUACY OF FEED AMOUNTS

1. All dogs will be weighed once a month. The dogs' weights will be recorded and graphed in their medical record, and the amount of weight gained or lost since the previous month will be calculated. A trained veterinary technician will assign a body condition score for each dog, based on the criteria in the Canine Body Condition Score ** table below.
2. The facility veterinarian will review the weights, body condition, and record of amount of weight gained or lost for all dogs in the facility once a month.
3. A dog that gains or loses more than 5% of their previous weight, or has body condition changes, will be brought to the attention of the veterinarian for evaluation and possible ration adjustment.
4. Feed ration adjustments will be made at the discretion and under the supervision of the veterinarian and documented in the animal's medical record.

Canine Body Condition Score**

Score	Description	Criteria
1	Emaciated	<ul style="list-style-type: none"> • Ribs, dorsal spinous processes, lumbar vertebrae and pelvic bones prominent and visible • No palpable fat • Obvious waist and abdominal tuck
2	Thin	<ul style="list-style-type: none"> • Caudal ribs and/ or dorsal spinous processes visible and easily palpable • Minimal fat covering
3	Normal	<ul style="list-style-type: none"> • Ribs and dorsal spinous processes palpable but not visible • Waist observed behind ribs when viewed from above • Abdomen tucked up when viewed from the side
4	Overweight	<ul style="list-style-type: none"> • Ribs and dorsal spinous processes palpable with slight excess of fat covering • Waist not easily discernable when viewed from the top or side
5	Obese	<ul style="list-style-type: none"> • Ribs and dorsal spinous processes not easily palpable (requires deep palpation) under a heavy fat covering • Fat deposits over the lumbar area and the tail base • Waist absent or distended when viewed from the top and side

** Canine body condition criteria based on, Dorsten, C.M, et al. 2004. Use of body condition scoring to manage body weight in dogs. *Cont.Topics*. 43 (3): 34-37.

SOP 705

Approved: Charmaine Foltz, D.V.M. **Date:** 4/22/2010
Director, Division of Veterinary Resources, ORS

Date Issued: 9/15/1989

Date Revised: 4/22/2010

TITLE : Escaped Dogs
SCOPE : All Staff
RESPONSIBILITY : Facility Manager and Veterinarians
PURPOSE : To describe procedures to recover dogs loose outside the building's exterior fencing enclosure

Note: Prompt recovery of escaped animals takes priority over all other activities. When an animal escapes the following steps must be taken:

1. These procedures are to be followed when a carnivore escapes the enclosures of the building's exterior fencing or exterior fencing of NIH properties.
2. Secure the area so no other animal can escape.
3. Notify all staff members that an animal has escaped.
4. Notify the Animal Facility Manager and/or the Facility Veterinarian that an animal has escaped providing the location and the time of the escape. The Facility Manager and/ or Veterinarians will decide if assistance from personnel in other buildings is necessary.
5. All personnel will search for the animal.
6. When the animal is recovered, repeat the above notification process, indicating recovery of the animal.
7. Perform a health check on the recovered animal and report any health concerns to the veterinarian.
8. If the animal is not recovered or found within a reasonable amount of time, the Facility Manager and Veterinarian will alert DVR Management prior to using safe capture methods to recover the animal or alerting outside authorities such as animal shelters.

SOP 801

Approved: *Charmaine Foltz, D.V.M.* **Date:** 10/6/2010
Director, Division of Veterinary Resources, ORS

Date Issued: 1/1/2004

Date Revised: 10/6/2010

TITLE : Care and Husbandry of Pigs
SCOPE : Animal Care Staff
RESPONSIBILITY : Facility Manager
PURPOSE : To describe procedures for care and husbandry of pigs

DAILY OBSERVATIONS

1. Observe all animals in the morning between 6:30 and 8:00 am and again in the afternoon between 2:00 and 3:00 pm. On weekends and holidays, the second observation occurs between 11:00 am and 12:00 noon. Report any unusual findings to the facility veterinarian by 9:00 a.m.
1. Record the temperature and humidity in the animal facility on the Animal Room Husbandry Log, and note any physical plant problems, including temperature and humidity readings outside the acceptable range (72°F, ± 3 °F, above 70 % humidity; circle value if outside these parameters), or wild rodents and insects in the animal areas to your supervisor. These problems will be listed on the daily report submitted by the contract supervisor and a maintenance service request (trouble call) will be initiated by the facility manager or designee in a timely manner. Report any emergency issues (i.e. floods, power outages, etc.) to the facility manager or designee immediately.
2. During weekend shifts, report all problems to the contract supervisor on call. The supervisor will either place an online maintenance request, or for critical issues will call ORF at 301-435-8000 in Bethesda, or the NIHAC Power Plant at 301-496-9040 in Poolesville, or if there is no response, 301-435-8000 in Bethesda. The contract supervisor will provide a report by 10 a.m. to the government facility manager on call for the weekend.
3. Emergency numbers are posted on the red signs near the front entrances to the facility if the problem requires immediate attention.

DAILY TASKS

1. Feed animals in the morning between 6:30 and 8:00 am and again in the afternoon between 2:00 and 3:00 pm. On weekends and holidays, the second feeding occurs between 11:00 am and 12:00 noon.
2. Check each water lixit to ensure it is functional. Alert your supervisor and the facility manager of any malfunctioning lixits immediately. If the lixit cannot be repaired in a timely manner, the supervisor or facility manager will determine if the animals will be moved to another kennel or provided water in bowls.
3. Sanitize kennels as described in [SOP 802](#).
4. Restock supplies (food, disinfectants, etc.) as needed. Report low supply levels to the facility manager so that they may be re-ordered.


5. Record all husbandry procedures on Animal Room Husbandry Log. Secure doors. Check lights and light timers.

MONTHLY

1. Weigh all animals and give the weight log to the veterinary technicians to record in the pig's medical record as described in [SOP 803](#).
2. Trim hooves as necessary. Record any procedures performed in the animal's health record.

IDENTIFICATION

1. All pigs will be individually identified with an ear tag, ear notches, tattoo or subcutaneous transponder.



Examples of tattoo, ear tag and ear notch numbering system in pigs

SOP 803

Approved: Charmaine Foltz, D.V.M. Date: 10/6/2010
 Director, Division of Veterinary Resources, ORS

Date Issued: 8/1/2006

Date Revised: 10/6/2010

TITLE : Food and Water for Pigs
SCOPE : Animal Care Staff
RESPONSIBILITY : Facility Manager and Facility Veterinarian
PURPOSE : To describe procedures for providing food and water for pigs.

GENERAL

1. On the day of arrival pigs will be assigned to a food group by the receiving veterinarian using the following charts as a guideline. The assigned food group will be indicated at the cage level and in the animal's medical record.

Recommended Rations for Farm Pigs

Group	Pig Weight	Required ME Kcal/ day ^a	Approximate feed amount (Grams/ day) ^b
Yellow	10-40 Kg	1200-2100	700
Blue	41-60 Kg	2100-2700	900
Purple	61-80 Kg	2700-3300	1100
Green	81-100 Kg	3300-3900	1300
Orange	101-120 Kg	3901-4500	1500
Red	121-140 Kg	4501-5090	1700

- a. Calculation based on MEm (MEm =125 kcal ME/kg of BW.75) values described in the "1998 NRC Nutrient Requirements of Swine" and the ME (3 kcal/g) of the Ziegler NIH Swine 2004-2 diet. MEm values are acceptable for growth, gestation, and lactation in pigs.
- b. The amount of feed to be fed per day is based on the maximum kcal required for each range of weights.

Recommended Rations for Mini-Pigs*

Group	Swine Weight	Required ME Kcal/ day	Approximate feed amount (Grams/ day)
White	<20 Kg	1500	500
Yellow	21-30 Kg	1800-2100	700
Blue	31-40 Kg	2400-2700	900
Purple	>40 Kg	3000	1100

- * The DVR feed regimen is a modification of the Sinclair Research Center recommendation for Yucatan mini-pigs and the ME (3 kcal/g) of the Ziegler NIH Pig 2004-2 diet. This feed regimen will allow a minimum of 10lb. increase in weight per month.
- 2. Food cups, identified by color to correspond with the different ration quantities, and precut to deliver the correct weight of food for that group per day will be used for feeding. The pig's assigned food group color indicates the measuring cup to be used for feeding. The cup will be evenly filled with food at each meal.
- 3. Any food cup that is worn, cracked or broken will be discarded and replaced immediately.
- 4. Pigs will be fed at the intervals described in [SOP 801](#).
- 5. Any pig not eating, or that appears to be gaining or losing excessive weight will be brought to the attention of the veterinarian.
- 6. During specific life stages (gestation, lactation, infancy), or illness, the ration offered and the amount of food given may be adjusted at the discretion of the veterinarian. The new ration and the amount will be recorded in the animal's medical record and at the cage level.
- 7. Additional food treats may be offered for enrichment, in accordance with [SOP 406](#).
- 8. Remove all old, leftover feed from the feeder and cage prior to giving any fresh feed.
- 9. Follow procedures described in [SOP 907](#) with respect to receipt of food and sanitation of feed containers.
- 10. Pigs will only be fed fresh, in date feed as described in [SOP 1039](#).
- 11. All pigs will have access to fresh drinking water *ad libitum* unless an approved Animal Study Proposal requires controlled amounts of water.

ASSESSING ADEQUACY OF FEED AMOUNTS

1. The majority of pigs used in research are young, and therefore are expected to grow and gain weight each month. All pigs will be weighed once a month. The pigs' weights will be recorded in their medical record, and the amount of weight gained or lost since the previous month will be calculated.
2. The facility veterinarian will review the weights, and records of the amount of weight gained, or lost by each pig and adjust the animal's ration to maintain growth.
3. Feed ration adjustments will be made at the discretion and under the supervision of the veterinarian and documented in the animal's medical record.

SOP 808

Approved: *Charmaine Foltz, D.V.M.* **Date:** 3/14/2011
Director, Division of Veterinary Resources, ORS

Date Issued: 9/15/1989

Date Revised: 3/14/2011

TITLE : Procedures for Handling Escaped Agricultural Animals
SCOPE : Animal Care Personnel, Veterinary Technicians, and Facility Managers
RESPONSIBILITY : Facility Manager and Veterinarians
PURPOSE : To describe procedures for safely returning large animals to their enclosures

NOTE: Recovery of escaped animals takes priority over all other husbandry activities. Remain calm and avoid sudden movements around the animals.

1. Notify the supervisor, veterinary technician and duty veterinarian immediately, and close any open doors to pens or stalls immediately to minimize other animals from escaping and to contain the animal in as small an area as possible.
2. Announce an animal has escaped and restrict access of personnel not involved in the recapture. If an animal is loose on the Poolesville campus, notify the security guards at the front gate (301-496-9554) so that they can help look for the animal while performing their rounds.
3. Open one unoccupied cage, run or corral for the animal to run into.
4. Attempt to lure the animal back into the enclosure with food rewards and red boards.
5. It may be necessary to capture the animal with a net, anesthetize the animal by use of a tranquilizer dart, or use other methods considered appropriate by the facility manager and/ or veterinary staff if an animal does not voluntarily return to its cage.
6. Notify all staff when the animal is safely enclosed.
7. Examine and count all animals. Check all animals for injuries and report any problems to the veterinarian for evaluation.
8. Observe the animals frequently for several hours after recapture.
9. Facility management and the facility veterinarian will evaluate the situation that preceded the escape and determine if additional training and/or other actions are required.

SOP 602**Approved:** *Charmaine Foltz, D.V.M* **Date:** 8/27/2010
Director, Division of Veterinary Resources, ORS**Date Issued:** 9/3/1992**Date Revised:** 8/27/2010

TITLE : Food and Water for Nonhuman primates
SCOPE : Animal care staff
RESPONSIBILITY : Facility manager and veterinarians
PURPOSE : To describe procedures for providing food and water for nonhuman primates

GENERAL

1. On the day of arrival or at the end of the quarantine period (if the sender provides food that the nonhuman primates (NHP) have been consuming), NHPs will be assigned to a food type and amount by the receiving veterinarian or facility manager using guidelines in Tables 1 and 2 and/or the animal's ASP as a guideline. The assigned ration and amount will be indicated at the cage or room level and in the animal's medical record.
2. NHP will be fed at the intervals described in SOP [603](#).
3. Any NHP not eating, or that appears to be gaining or losing excessive weight will be brought to the attention of the veterinarian.
4. During specific life stages (gestation, lactation, infancy), or illness, the ration offered and the amount of food given may be adjusted at the discretion of the veterinarian. The new ration and the amount will be recorded in the animal's medical record and at the cage or room level.
5. Juvenile NHPs in quarantine should be fed *ad libitum*.
6. Additional food treats may be offered for enrichment as described below.
7. Remove all old, leftover feed from the feeder and cage prior to giving any fresh feed.
8. Follow procedures described in SOP [907](#) with respect to receipt of food and sanitation of feed containers.
9. NHP will only be fed fresh, in date feed as described in SOP [1039](#).
10. All NHP will have access to fresh drinking water *ad libitum* unless an approved Animal Study Proposal requires controlled amounts of water.

ASSESSING ADEQUACY OF FEED AMOUNTS

1. All NHP will be weighed at a minimum every time they are TB tested, and each time they are removed from their cage for a clinical or research procedure. The NHPs' weights will be recorded in their medical record.
2. A NHP that gains or loses more than 5% of their previous weight, or has body condition changes, will be brought to the attention of the veterinarian for evaluation and possible ration adjustment.

3. Feed ration adjustments will be made at the discretion and under the supervision of the veterinarian and documented in the animal's medical record.

DISTRIBUTION OF FOOD TREATS

1. All personnel responsible for distribution of food treats to primates will receive safety training as described in SOP [601](#).
2. Food treats are given to all animals in the facility on a regular basis unless it is prohibited by an animal study protocol or medical restriction. Some examples of treats include peanuts, popcorn, or manufactured primate treats.
3. A schedule for distribution of food treats will be generated by the facility manager or designee and posted in the facility.
4. Food treats will be placed into the food bin where available, scattered in the sawdust bedding on the floor where appropriate, or carefully handed to the nonhuman primates.
5. The facility veterinarian and/or facility manager are responsible for approving food treat regimes and any new treats prior to distribution to the animals. The laboratory animal nutritionist will be consulted on an as needed basis.

Legend

- **5038 PMI** is Old World monkey diet containing 15% protein, 5% fat, and 4.5% crude fiber.
- **5045 PMI** is Old World monkey diet containing 25.8% protein, 5%, and 4.9% crude fiber.
- **5049 PMI** is Old World Fiber Plus monkey diet containing 20% protein, 5% fat, and 10% crude fiber
- **5040 PMI** is New World monkey diet containing 20% protein, 9.5% fat, and 3.5% crude fiber.
- **NIH monkey diet** is an open formula Old World monkey diet currently made by Harlan. It contains 15% protein, 5% fat, and 6% crude fiber.
- **H 8788** is Old World high fiber monkey diet containing 15% protein, 4% fat, and 10% crude fiber.
- **H 2050** is Old World high protein and fiber monkey diet containing 20% protein, 5.4% fat, and 98% crude fiber.
- **H 2050J** is Old World jumbo (large biscuit) high protein and fiber monkey diet containing 20% protein, 5.4% fat, and 98% crude fiber.
- **H 7195** is Old World high fiber monkey diet containing 20% protein, 5.9% fat and 18% crude fiber.
- **H 8794** is a New World monkey diet containing 20% protein, 10% fat, and 5% crude fiber.

^a The caloric requirements are estimated using the following references:

1. Kerr, G. R. (1972). Nutritional Requirements of Subhuman Primates. *Physiol. Rev.* 52, 415-467.
2. National Research Council (NRC) (2003). Nutrient Requirements of Nonhuman Primates. National Academy of Science, Washington, DC.
3. Knapka, J. J. et al. (1995). Nutrition. In "Nonhuman Primates in Biomedical Research: Biology and Management," (B. T. Bennet et al., ed), Academic Press, Inc.
4. Greenberg, L. D. (1970). Nutritional Requirements of Macaque Monkeys. In "Feeding and Nutrition of Nonhuman Primates," (R. S. Harris, ed.), Academic Press, Inc.

Table 1. Recommended feeding guidelines for Old World Primates**Daily Amount (number of biscuits) of Diet to Feed Adult Old World Primates**

Monkey Wt (Kg)	Daily Calorie Requirement (kcal)	5038 PMI	5045 PMI	5049 PMI	8777 NIH	8788 H	2050 H	2050J H	7195 H
3-6	280-470	9-15	9-15	12-19	12-19	5-8	5-8	4-7	7-12
7-10	470-700	16-22	16-22	20-28	20-28	9-11	9-11	8-11	13-18
11-15	700-940	23-30	23-30	29-39	29-39	12-15	12-15	12-14	18-24
16-20	940-1150	31-37	31-37	40-47	40-47	16-19	16-19	15-17	25-30
21-25	1150-1370	38-44	38-44	48-56	48-56	20-22	20-22	18-20	31-35
26-30	1370-1550	45-49	45-49	57-64	57-64	23-25	23-25	21-23	36-40
31-35	1550-1740	50-55	50-55	65-72	65-72	26-28	26-28	24-26	41-45
36-40	1740-1923	56-62	57-63	73-79	73-79	29-30	29-33	27-29	46-50
41-45	1923-2100	63-67	64-69	80-87	80-87	31-34	34-35	30-31	51-54

The adult Old World Primate dietary regimen is based on the caloric maintenance formula $1.3 \times 93(\text{Wt kg})^{.75}$

Daily Amount (number of biscuits) of Diet to Feed Juvenile Old World Primates^a

Monkey Wt (Kg)	Daily Calorie Requirement (kcal)	5038 PMI	5045 PMI	5049 PMI	8777 NIH	8788 H	2050 H	2050J H
1-1.4	110-140	4-5	4-5	5-6	5-6	2-3	2-3	2-3
1.5-1.9	165-209	6-7	6-7	7-9	7-9	3-4	3-4	3-4
2.0-2.4	210-264	8-9	8-9	10-12	10-12	4-5	4-5	4-5
2.5-2.9	275-319	10-12	10-12	11-13	13-14	5-6	5-6	5-6
3.0-3.4	330-374	13-14	13-14	14-17	15-17	6-7	6-7	6-7
3.5-3.9	385-429	14-20	15-22	15-18	17-19	8-9	10-11	9-11
4.0-4.4	440-484	20-22	23-25	18-19	19-21	9-10	11-13	10-12
4.5-5.0	495-550	23-25	26-29	20-22	21-24	10-11	13-14	12-13

The juvenile Old World monkey dietary regimen is based on 110 kcal GE/kg/day provided in:

- Knapka, J. J. et al. (1995). Nutrition. In "Nonhuman Primates in Biomedical Research: Biology and Management," (B. T. Bennet et al., ed), Academic Press, Inc.

Table 2. Recommended feeding guidelines for New World Primates**Daily Amount (number of biscuits) of Diet to Feed Adult Callitrichids
(marmosets and tamarins)**

Monkey Wt (Kg)	Daily Calorie Requirement (kcal)	5038 PMI	5045 PMI	5040 PMI	8777 NIH	8788 H	2050 H	8794 H
0.20-299	50-64	2-3	2-3	20-25	2-3	1	2	12-15
.3-.399	65-80	3-4	3-4	26-30	3-4	2	2	16-19
.4-.499	81-95	4-5		31-36	4-5	2-3	3	20-22
.5-.70	96-120	5-6	5-6	37-45	5-6	3-4	3-4	23-28

The adult Callitrichid dietary regimen is based on the caloric maintenance formula $2.2 \times 70(\text{Wt kg})^{.75}$

Daily Amount (number of biscuits) of Diet to Feed Adult Aotus and Squirrel Monkeys

Monkey Wt (Kg)	Daily Calorie Requirement (kcal)	5038 PMI	5045 PMI	5040 PMI	8777 NIH	8788 H	2050 H	8794 H
0.5-1.0	100-184	5-9	6-10	41-70	5-8	3-4	3-5	23-43
1.1-1.5	185-250	10-12	11-13	71-94	9-11	5-6	6-7	44-58
1.6-2.0	251-310	13-14	14-16	95-117	12-13	7-8	8-9	59-72

The adult aotus and squirrel monkey dietary regimens are based on the caloric maintenance formula $2.63 \times 70(\text{Wt kg})^{.75}$

SOP 603

Approved: *Charmaine Foltz, D.V.M.* **Date:** 4/18/2011
Director, Division of Veterinary Resources, ORS

Date Issued: 9/15/1989

Date Revised: 4/18/2011

TITLE : Care and Husbandry of Nonhuman Primates (NHP)
SCOPE : Animal Care Personnel
RESPONSIBILITY : Facility Manager and Veterinarian
PURPOSE : To describe procedures for care and husbandry of NHP

DAILY OBSERVATIONS

1. Observe all animals in the morning between 7:00 and 9:00 am and again in the afternoon between 2:00 and 3:00 pm. On weekends and holidays, the second observation occurs between 11:00 am and 12:00 noon. Record any abnormalities on the health check form and submit the form to the veterinary technicians by the end of the observation period.
2. Report any emergencies to the veterinary technician or the facility veterinarian. For animals found down in the cage use the paging system and page: "code blue room #---". All veterinary technicians and veterinarians in the building will respond.
3. Record the temperature and humidity in the animal facility on the Animal Room Husbandry Log and note any temperature and humidity readings outside the acceptable range by circling them on the husbandry log.
 - a. New World Primates: The temperature range is 77 F – 82 F and the Humidity less than 70%
 - b. Old World Primates: The temperature range is 73 F – 79 F and the Humidity less than 70%
4. During periods of low humidity monitor animals closely for clinical problems (e.g., nose bleeds). Health related issues must be reported as clinical cases.
5. Report any facility maintenance issues, pest management issues, caging and equipment issues to the facility manager.
6. Monitor light timers to ensure proper functioning. Most timers are set to turn the lights on at 6 am and off at 6 pm. Owl Monkey timers are set to turn the lights on at 1 am and off at 1 pm. Evening health checks for Owl Monkeys are done by flashlight.
7. During weekend shifts, report all facility problems to the contract supervisor on call. The supervisor will either place an online maintenance request, or for critical issues will call ORF at 301-435-8000 in Bethesda, or the NIHAC Power Plant at 301-496-9040 in Poolesville, or if there is no response, 301-435-8000 in Bethesda. The contract supervisor will provide a report by 10 a.m. to the government facility manager on call for the weekend.
8. Emergency numbers are posted on the red signs near the front entrances to the facility if the problem requires immediate attention.

DAILY TASKS

1. Feed animals in the morning between 7:00 and 8:00 am and again in the afternoon between 2:00 and 3:00 pm. On weekends and holidays, the second feeding occurs between 11:00 am and 12:00 noon. The feed type and amount is determined by the facility veterinarian and posted at the room level.
2. Check each water lixit to ensure it is functional. Alert your supervisor and the facility manager of any malfunctioning lixits immediately. If the lixit cannot be repaired in a timely manner, the supervisor or facility manager will determine if the animals will be moved to another cage or provide a water bottle.
3. Change water bottles in the morning. Refill water bottles in the evening if the bottle is less than $\frac{3}{4}$ full.
4. Wash down cage pans and rooms as described in [SOP 613](#).
5. Change cages as directed in [SOP 613](#).
6. Provide enrichment devices, feed supplements and activities according to [SOP 400](#).
7. Restock supplies (food, disinfectants, etc.) as needed. Report low supply levels to the facility manager so that they may be re-ordered.
8. Record all husbandry procedures on Animal Room Husbandry Log. Secure doors. Check lights and light timers.
9. The facility supervisor and veterinary technicians will ensure all animals are observed daily.

BODY WEIGHTS

1. Using a jump box, weigh all new world monkeys monthly and give the weight log to the veterinary technicians to record in the medical record.
2. Old world NHP will be weighed when they are sedated for TB testing and their weights will be recorded in the medical record.

PROCEDURE/TRANSPORT

The veterinarian or their designee will observe all animals entering or leaving the facility.

IDENTIFICATION

Old World Primates are identified using tattoos. New World primates may be identified with collars.

CAGING REQUIREMENTS

1. NHP will be assigned to a cage size by the facility manager based on the guidelines below.
2. NHPs within $\frac{1}{2}$ kg of needing a larger cage will be moved to the next larger cage size (e.g., 9.5 kg NHPs will be moved to a 6.0 sq. ft. floor space cage and 14.5 kg NHPs will be moved to a 8.0 sq. ft. floor space cage).
3. Professional experience and species specific behavior plays a large part in determining if an animal needs a taller cage. Even among the macaque species there is diversity in body types and how they utilize the height of a cage. For instance a 9 kg cyno will have plenty of vertical space to

stand erect whereas a 9 kg pigtail has a longer body type and may require more vertical space than a standard 30 inch tall 4.3 sq. ft. cage allows. Larger/taller animals should be evaluated as individuals and professional judgment and experience should be used to recommend larger cages.

4. Any exceptions not meeting the minimum floor and height requirements outlined in the Guide* require monthly review by the veterinarian, semi-annual review by the ACUC, and must be reported in the semi-annual ACUC report.
5. Guide Standards for Primates.

Animal Group	Species (example)	Weight in KG	Floor Space (ft²)	Height (in)
Group 1	Marmosets, Tamarins, infants less than 6 months.	Under 1	1.6	20
Group 2	Capuchins, Squirrel, Aotus	1-3	3.0	30
Group 3	Rhesus, Cynomologus, Pigtails	Up to 10	4.3	30
Group 4	Rhesus, Cynomologus, Pigtails	Up to 15	6.0	32
Group 5	Baboons and non brachiating monkeys	Up to 25	8.0	36

SOP 609

Approved: *Charmaine Foltz, D.V.M.* **Date:** 5/17/2010
Director, Division of Veterinary Resources, ORS

Date Issued: 9/15/1989

Date Revised: 5/17/2010

TITLE : Procedures for Handling Escaped Animals - Nonhuman Primates
SCOPE : Animal Care Personnel, Veterinary Technicians, and Facility Managers
RESPONSIBILITY : Facility Managers and Veterinarians
PURPOSE : To capture nonhuman primates which escape from their cages

NOTE: Recovery of escaped animals takes priority over all other husbandry activities. Remain calm and avoid sudden movement around the animals.

1. Notify the supervisor, veterinary technician and duty veterinarian immediately.
2. A minimum of two personnel adequately trained in the recapture of nonhuman primates will assist with recovery of an escaped animal.
3. Announce an animal has escaped and restrict access of personnel not involved in the recapture to the area.
4. Wear all required protective clothing (thick restraint gloves for the person who may be required to restrain the animal).
5. Make sure there is an open cage for an animal to run into.
6. Attempt to lure the animal back into the cage with fruit or treats.
7. It may be necessary to capture the animal with a net, anesthetize the animal by use of a tranquilizer dart, or use other methods considered appropriate by the facility manager and/ or veterinary staff if an animal does not voluntarily return to its cage.
8. Notify all staff when the animal is recaptured.
9. Examine and count all animals in the room. Check all animals for any injuries and report any problems to the veterinarian for evaluation.
10. Observe the animals frequently for several hours after recapture.
11. Facility management and the facility veterinarian will evaluate the situation that preceded the escape and determine if additional training and/or other actions are required.

SOP 625

Approved: *Charmaine Foltz, D.V.M.* **Date:** 12/22/2009
Director, Division of Veterinary Resources, ORS

Date Issued: 12/22/2009

Date Revised:

TITLE : Cage Changing and Sanitation of Nonhuman Primate Radiation Rooms
SCOPE : Animal Care Personnel
RESPONSIBILITY : Veterinarian Technicians, Animal Care Personnel
PURPOSE : To Establish Proper Procedures for Daily Husbandry and Sanitation of Nonhuman Primate Radiation Rooms.

CAUTION NOTES:

1. All personnel entering nonhuman primate radiation rooms must wear the proper protective clothing; i.e., mask, 2 pair of gloves (first pair Nitril), tyvek coveralls, face shield and safety glasses or NIH safety approved goggles on PAPR, shoe covers and head cover. Personnel must also be registered with Radiation Safety and wear a dedicated Dosimeter badge when working in the room. Check the posted radiation room signs prior to entering each room for specific details.
2. All radiation rooms must be self contained. Nothing is to be removed without pre approval from Radiation Safety. Waste material (MPW boxes, bedding, dirty water bottles or spray bottles, etc.) must remain in the room until cleared by Radiation Safety. Cages used to house animals and waste containers used in the room must be labeled "**CAUTION RADIOACTIVE MATERIALS**" with the radionuclide, activity, and date indicated.
3. All radiation rooms must have negative air pressure to the corridors. All floor drains (if any) must be plugged to eliminate radioactive material from getting into the sanitary system.
4. Standard room supplies are: MPW box with double bags; radiation labeling supplies; water barrel for animal consumption; spill containment; and, dedicated room cleaning equipment, such as Waste barrels, Food barrels, bedding barrels, water bottles and sipper tubes, bedding and absorbent pads.
5. After handling radioactive contaminated animals, bedding, or cages, personnel will monitor their hands, arms, clothing and shoes for contamination using the appropriate technique for the radioisotope. Any detectable skin or clothing contamination must be cleaned immediately with soapy water and reported to the Facility Manager. The Facility Manager will immediately contact the Radiation Health Physicist at 301-496-5774 for further instructions.

Room Set-Up

Cage: NHP rack with a dry bedding pan system and water bottle holders

1. Place absorbent paper pan liners on the floor area where the rack will be located within the room. (absorbent paper prevents the floor from radiation contamination)
2. Place rack in the center of the absorbent paper pan liners. Secure the rack with C-clamps to the guard rails.

3. Place absorbent paper pan liners in the cage pans. Place absorbent bedding on top of the pan liners in the pans.
4. Make sure all moving cage parts and door closures have cage locks. Each cage must contain enrichment toys per NHP enrichment SOP.

Animal Drinking water:

1. Fill a 55 gallon drum, on a drum dolly, with chlorinated water to 3-4ppm chlorine.
2. Secure the water dispensing pump in water drum.
3. Place 2 full water bottles on each NHP cage.

Other room equipment:

1. Extra water bottles and sipper tubes
2. Absorbent cage liner pads
3. Bedding barrel
4. Feed barrel
5. Dedicated room cleaning equipment
6. TBQ spray bottle
7. Spray bottles inside and outside of animal room for 10% bleach solution (used only for passing MPW boxes out of the room)
8. MPW boxes
9. Sodium Iodide (NaI) portable Detector for survey of contamination located outside of animal housing room. This device is located at the PPE gowning station and away from back ground noise.
10. Pallets/shelf racks to store equipment and supplies off the floor.

Cage Changing – Waste Disposal

Cages with bedding (Monday, Wednesday and Friday)

1. Assemble MPW boxes according to regulations indicated in the NIH Waste Disposal Guide.
2. Place a trash bag liner in the trash can.
3. Release the pan door latches, remove the pan and carefully avoiding splash ~~a~~ hazard fold the pan liner on the pan and close inward to contain the soiled bedding. If pan is heavily saturated put extra bedding in pan to soak wetness to prevent a splash hazard.
4. Place pan waste into a trash can with a trash bag liner.
5. If the pan is soiled spray with TBQ and wipe down with paper towels. Discard soiled paper towels in trash can.
6. Close the trash can liner bag with pan bedding and place it into a MPW box.
7. Place new liner in the pan. Place new bedding on the liner in the pan (enough bedding to cover the pan bottom). Put the pan back. Relock the pan closure.
8. Repeat this procedure until all bedding pans have been changed.
9. MPW boxes must not weigh over 40 pounds. Pack and label the box according to NIH Radiation Waste Disposal Guide.

10. MPW boxes will be stored in the animal housing room on a pallet until they are cleared of radiation or picked up by radiation waste personnel
11. For radiation waste pick-up, spray outside of MPW box with 10% bleach solution and pass box out of the animal housing room to radiation waste pick-up cart
12. Record completion of duties in the room log.

Cage sanitation (every 14 days)

Sanitation in place

1. Set up a clean rack as noted above.
2. Jump NHP's into the clean rack.
3. Collect the solid waste and wipe down pans from the old rack as noted above.
4. The rack is to remain in the room until cleared by Radiation Safety.
5. Record completion of duties in room log.

Water bottle maintenance

1. Change the water bottle and sipper tube every 7 days with a clean water bottle and sipper tube. Place dirty water bottle and sipper tube in a bottle rack in room until cleared of radiation.
2. Refill the water bottles as necessary.

Post Radioactivity decay time

1. Breakdown cages and housing equipment per ABSL 2 with 3 practices and procedures
2. Send cages and housing equipment to dirty cage wash for sanitation.
3. Sanitize the room with TBQ; walls, ceiling, floor, and all surfaces
4. Wipe down any remaining equipment in the room with TBQ
5. Empty water drum, feed and bedding containers and sanitize containers

12. Use of Procedure Rooms

Scheduling

Procedure rooms must be scheduled in advance with the Lead Veterinary Technician.

DVR Provided Supplies and Equipment

DVR provides basics supplies for use such as disinfectant, animal boxes, plastic bags, etc. Investigators are responsible for cleaning up after use. Use of equipment:

- Downdraft table
- Chemical fume hoods
- Euthanasia chambers
- Anesthesia chambers

Investigator Provided Supplies and Equipment

Specialized equipment and supplies must be supplied by the investigator. If these items need to be stored in the facility contact the Facility manager. All equipment must be used in compliance with regulatory requirements and within recommended use dates.

Policies and Relevant SOPs

Consult with the DVR Facility Manager or DVR Facility Veterinarian for more information about policies specific to procedure rooms.

These relevant SOPs and can be found on the following pages:

- SOP 112: Safety Procedures When Working With Needles
- SOP 300: Euthanasia of Large Animals

SOP 112

Approved: *Charmaine Foltz, DVM* Date: 6/8/2010
Director, Division of Veterinary Resources, ORS

Date Issued: 1/1/2004

Date Revised: 6/8/2010

TITLE : Safety procedures when working with needles
SCOPE : All personnel working with needles
RESPONSIBILITY : Facility Veterinarian
PURPOSE : To describe safe practices for handling and recapping needles

1. Never recap a needle that has been used on an animal. Place the contaminated needle directly into the sharps container and dispose of the cap separately.
2. Do not bend or break needles after use.
3. When recapping a needle after drawing up medication, changing needle size or switching needles after contamination, follow proper recapping technique.

PROPER RECAPPING TECHNIQUE

1. Place the cap on the work surface.
2. Using one hand to hold the syringe or needle, direct the needle into the cap while keeping the other hand away from the needle and cap.
3. After the needle has been successfully positioned within the cap, secure the cap onto the needle using the other hand or work surface.



SOP 300

Approved: *Charmaine Foltz, D.V.M.* Date: 1/8/2011
Director, Division of Veterinary Resources, ORS

Date Issued: 9/15/1989

Date Revised: 1/8/2011

TITLE : Euthanasia of Large Animals
SCOPE : Veterinarians and veterinary technicians
RESPONSIBILITY : Veterinarian
PURPOSE : To describe procedures for humane euthanasia of large animals

GENERAL

1. Euthanasia of animals is often performed as the final procedure in an approved ASP so that the investigators can evaluate changes in the animal's tissue as a result of the research, or at the discretion of the veterinarian to prevent pain and suffering.
2. Euthanasia will be performed by veterinarians or technically proficient veterinary technicians.
3. The method of euthanasia will be determined by procedures described in an approved ASP or the attending clinical veterinarian.
4. The animal must be evaluated until no audible heart sounds can be detected with a stethoscope. A secondary method to ensure death may be performed at the discretion of the veterinarian.
5. The person performing euthanasia will document the time, date and method of euthanasia in the animal's medical record.
6. The decision to euthanize an animal is normally made by the clinical attending veterinarian after consultation with the principal investigator. In emergency situations or when an animal is in a medically terminal condition, if the principal investigator or institutional veterinarian cannot be reached within a reasonable time frame, the animal may be euthanized at the attending veterinarian's discretion. Additionally, in cases in which there is no agreement between the principal investigator and the attending clinical veterinarian regarding the euthanasia of a research animal, the attending clinical veterinarian has the ultimate authority to euthanize an animal.

POST MORTEM EVALUATION

1. Animals will have a diagnostic post-mortem evaluation at the discretion of the veterinarian or principal investigator. Procedures in [SOP 205](#) should be followed for submission of animals to DVR Pathology.
2. Special considerations for NHPs: [ARAC Guidelines for the Prevention and Control of Tuberculosis in Nonhuman Primates](#) state that all NHPs should be considered for postmortem examination for the presence of tuberculosis. Animals may be submitted to the DVR Pathology Service for surveillance necropsy, or alternatively, necropsies may be performed by or under the direction of veterinarian at NIH.

13. DVR Pathology Services

The Pathology Service provides comprehensive diagnostic services in anatomic pathology to investigate spontaneous deaths and morbidity in a wide variety of laboratory animals utilized in the intramural research programs at the NIH. At DVR, all nonhuman primates that die for any reason, including euthanasia will be necropsied by the Pathology Section. Necropsies are conducted by a staff of board certified veterinary pathologists.

Preliminary necropsy reports are distributed the following work day with a final report including completion of any other related diagnostic tests and histopathology analysis within approximately 2-3 weeks.

Submissions may be made by investigators, facility managers, veterinary technicians or veterinarians. Individuals should submit a pathology submission form available online at <http://dvr.od.nih.gov/>.

The Pathology Service can arrange to assist investigators with special procedures, provide consultation to research investigators, veterinarians and facility managers related to anatomy, gross pathology, histology / histotechnology, histopathology, ultrastructural pathology and laboratory animal disease.

The Pathology Service is able to collaborate with research investigators on a variety of scientific initiatives on a time limited basis.

14. Initiating and Submitting Requests for Technical Support

For Technical Staff assistance, a "Technical Service Request (TSR)" must be submitted. In order to ensure timely scheduling of services, please submit TSRs at least 48 hours prior to the date of the requested procedure(s), as technical time is scheduled on a "first come, first serve" basis. Standing requests must be renewed at the start of each fiscal year.

Technical Service Request (TSR) submissions are processed electronically and may be found at the following link: <http://dvr.od.nih.gov/dvr/dvr.aspx>

Per Diem includes tagging, tailing and weaning services in rodent facilities, and TB testing (as applicable) and annual or quarterly veterinary exams in non-rodent facilities. Other technical research support service requests will incur charges to cover the technicians' time to provide the service, billed in ¼ hour increments. For more information, please refer to the "Technical Services Billing Plan" on DVR's webpage <http://dvrnet.ors.od.nih.gov>. A complete list of DVRs current rates for per diems and technical time can be found at the following link: <http://www.ors.od.nih.gov/sr/DVR/Documents/DVRrates.pdf>

Below is a screen shot of the entry page for submission of technical service requests. Scroll down to **DVR Technical Service Request Application**.

VET.net - DVR Veterinary Informatics Intranet

For DVR customers and staff

If you are prompted for a username and password and have difficulty logging in, try entering your username in the following format: nihusername.

Firefox for the MAC is not currently compatible with the mandated NIH security environment. Please use Safari on the MAC to access our web applications.

- [Web Health](#) - NIH Rodent Health Surveillance Web System - DSR Submission Forms and Online Health Reports
- [Web Health User Guides](#) - Updated 22-Jan-09
- [Behavior.Net](#) - DVR Behavior and Environmental Enrichment Reports Online (for DVR staff)
- [Rodent Import](#) - NIH Online Rodent Import Application (Forms 2369-1 and 2369-3)
- [Animal Health Data Request Template Form \(PDF\) \(NIH 2369-2\)](#)
- [NIH Rodent Quarantine Release Form \(PDF\) \(NIH 2369-4\)](#)
- [Instructions for completing a Rodent Import request \(PPS\)](#)
- [DVR Transportation](#) - DVR Animal Transportation Request
- [Instructions for completing a Transportation request \(PPS\)](#)
- [DVR Technical Service Request Application](#) - Create and manage DVR Technical Service Requests
- [Instructions for completing a Technical Service request \(PPS\)](#)

[Top](#) [DVR Home Page](#) [NIH](#) [ORS](#) [For ORS Employees](#) [ORS Directory](#) [Disclaimer](#) [Privacy](#) [Accessibility](#)

Review the instructions first if you are new to the process.

Then click for the application (second screen below will appear) to submit or update a rodent or non-rodent technical request. The instructions will provide additional detail to guide you through the process.

Technical Services Request Application (TSR)

DVR Technical Services Request Application (TSR)

Create a Rodent Technical Service Request

Update a submitted Rodent Technical Service Request

Create a Non Rodent Technical Service Request

Update a submitted Non Rodent Technical Service Request

Manage my technical services requests

Manage my favorite templates

Tech Services

For additional help, please [Email](#) the DVR Technical Services support group.

15. Animal Health Reporting & Atypical Behavior Reporting

Normal Hours

Contact a DVR Veterinary Technician or the Facility Veterinarian if there is a concern about the health of an animal.

After Hours, Weekends, and Holidays

Consult the emergency contact and on-call signs located in corridors throughout the buildings to contact the Facility or On-Call Veterinarian.

Atypical Behavior Reporting and Relevant SOPs

These relevant SOPs can be found on the following pages:

- 400: Environmental Enrichment for Nonhuman Primates
- 402: Clinical and Behavioral Assessment of SIB in Primates
- 405: Clinical and Behavioral Assessment of Abnormal Behavior in Primates
- 406: Environmental Enrichment for Pigs Housed in DVR Buildings
- 411: Environmental Enrichment for Agricultural Animals
- 420: Behavior Evaluations of Dogs Housed in DVR Buildings
- 421: Environmental Enrichment for Dogs Housed in DVR Buildings
- 422: How to retrieve a dog displaying aggressive or fearful behavior

SOP 400**Approved:** *Charmaine Foltz, D.V.M.* **Date:** 5/18/2011
Director, Division of Veterinary Resources, ORS**Date Issued:** 10/18/1991**Date Revised:** 5/18/2011

TITLE : Environmental Enrichment for Nonhuman Primates
SCOPE : Animal care staff
RESPONSIBILITY : Facility management and behavior staff
PURPOSE : To outline the circumstances and procedures by which environmental enrichment will be provided to nonhuman primates.

ENVIRONMENTAL ENRICHMENT

Environmental enrichment is provided to non-human primates (NHP) to encourage species appropriate behavior and satisfy the physical and psychological needs of the animals (DVR Environmental Enrichment Plan). The most important enrichment for NHPs is social housing. Food treats are given to NHP to promote foraging and to provide novel and different items to eat. The quantity of food treats offered is small so that it does not compromise the animal's appetite for nutritionally balanced food.

SOCIAL ENVIRONMENT

Nonhuman primates are housed with other members of their species and/or similar species in a variety of social contexts.

SINGLY HOUSED ANIMALS

Nonhuman primates housed singly have visual, auditory, and olfactory contact with members of their species and/or similar species.

ENRICHMENT PROVISION

1. Provide standard inanimate enrichment such as toys and novel foods to nonhuman primates as appropriate by facility and protocol.
2. Any deviation from the DVR environmental enrichment program will be documented in writing. Documentation of any approved deviations from the program will be kept on file by facility management.
3. Some examples of enrichment currently provided to nonhuman primates in DVR include: Tug toys, rings, dental balls, rattles, mirrors, challenger balls, Prima-Hedrons
4. Provide each nonhuman primate cage with two floor toys, one hanging toy, and an elevated perch where appropriate. Toys are rotated with the regular cage wash schedule. Chains on hanging toys are not to exceed 8 inches in length.
5. Where appropriate, retain standard non-food enrichment items within the cage or enclosure during routine cage sanitizing procedures. Remove worn or damaged enrichment items from enclosures, discard in the regular trash, and replace.

Novel Foods

1. Distribute novel food items at least twice weekly. The following list indicates the type and quantity of novel foods that may be used: fruit (1/2 small apple), vegetables (leaf of romaine lettuce), hard-boiled eggs (1), prima-treats (2-3) or other novel food items approved by the facility veterinarian and manager.
2. The facility manager or designee will create a prospective schedule indicating the days and types of novel foods that will be offered to NHP. Caretakers will document giving novel foods on the Room Log or Enrichment Consumption Log.
3. Novel food can be either handed directly to nonhuman primates or placed in the feed bin or food cup. The food cup method may be used in the case of fearful or overly aggressive animals. Any uneaten produce remaining in the cage or food cup will be removed the next day.
4. To distribute food items to socially housed animals, disperse items to promote access for all animals. To adequately distribute to all animals it may be necessary to place items in or on different parts or levels of enclosures.

Supplemental Enrichment

1. Provide supplemental enrichment devices to nonhuman primates on a rotating, scheduled basis. Devices can be either mirrors or challenger balls.
2. Supplemental enrichment items such as mirrors or challenger balls can remain up on cages for a minimum of 3 days but can remain longer.
3. Challenger balls will be loaded with novel foods, i.e., prima-treats or peanuts, when the balls are first placed on cages.
4. When placed on cages, challenger balls will be refilled two or three times per week.
5. Remove mirrors or challenger balls and run items through the cage wash prior to placement on new cages.

Wooden Chew Sticks

1. Wooden chew sticks, obtained from approved sources, will be provided to singly or pair housed macaques on dry bedding no less than once per month.
2. The monthly schedule for distribution will be determined by the facility manager.

Foraging Boards

1. High density polyethylene foraging boards will be permanently attached to cages.
2. Foraging boards will be filled with seed mix or other similarly appropriate foraging items two or three times per week.

Swimming Pools

1. Swimming pools (modified soap barrels) may be provided to nonhuman primates living in flex-agons (cribs in building 104).
2. Pools will be provided on a rotational basis, one crib at a time, Monday - Friday during the work week.

3. Pools will be provided only when the ambient outdoor temperature is above 65 degrees F.
4. Pools will be filled with water in the morning during regular working hours
5. Nonhuman primates will not have access to pools outside of regular working hours.
6. Each pool will be emptied at the end of a working day.
7. Supplemental enrichment (access to the pool) will be documented on the appropriate form.
8. Staff will monitor those nonhuman primates having access to the pools during their regularly scheduled building visits.

Activity Enclosures in 14D

1. Animals resident in rooms with built-in activity units should be rotated into the unit for a maximum of one day
2. Each activity unit will be cleaned before the next animal is rotated in.
3. Animals may be placed into an activity unit following wash down.
4. No animals will be put into the units on weekends.
5. Documentation will include the ID and date the animal was placed into the unit.

DVD Players

1. Where a DVD player is available, DVDs may be played for nonhuman primates during regular business hours.
2. DVD players will be turned off at the end of the business day.
3. The Lexan boxes covering the DVD player and the cart will be sanitized with appropriate disinfectant when the room is sanitized or when the DVD cart and player leave an animal room.

SOP 402

Approved: *Charmaine Foltz, D.V.M.* **Date:** 5/14/2010
Director, Division of Veterinary Resources, ORS

Date Issued: 5/14/2007

Date Revised: 5/14/2010

TITLE : Clinical and behavioral assessment of SIB in primates
SCOPE : Veterinarian and behavior staff
RESPONSIBILITY : Veterinarians and behavior staff
PURPOSE : To describe intervention strategies and procedures for SIB cases in nonhuman primates.

SELF-INJURIOUS BEHAVIOR (SIB) - Any self directed act that results in tissue injury. (Davenport et al. 2008)

FACTORS AFFECTING SIB

1. Adult rhesus monkey males have a greater incidence of abnormal behavior, including self injury, than do adult females.
2. During and after the rearing period, macaque species differed in the extent of abnormal behavior and the specific dimensions of behavior that are affected.
3. The more time spent asocially during infancy, the greater the expression of abnormal behavior.
4. Serious self-injury requiring medical treatment occurs almost exclusively in adult macaques, with the exception of trauma induced by extreme self-sucking and mouthing behavior in younger monkeys.
5. Abnormal behavior could be largely overcome when asocially raised monkeys are socialized with younger monkeys
6. Socially reared monkeys who continue to be housed socially after the rearing period rarely develop SIB.

Taken from Self-injurious behavior. 2002. Chapter by Novak, Crockett, Sackett

REPORTING SIB

1. Caretakers will report animals demonstrating SIB-like behavior on daily health check reports. SIB resulting in open wounds or bleeding will also be reported immediately to the veterinarian and or veterinary technician.
2. The caretaker, technician, or veterinarian will request assessment by the behavioral staff by placing an entry in the Request for Behavior Assessment log or e-mailing the behavior group at OD DVR ENRICHMENT (e-mail listing on global directory).
3. The veterinarian in consultation with the behaviorist is responsible for oversight, management and follow-up of reported cases of SIB observed in nonhuman primates. The veterinarian is responsible for follow-up on SIB cases with the principal investigator.

CLINICAL MANAGEMENT

1. The injury is treated as required including wound closure, bandaging, pain relief and antimicrobials.
2. Follow up management is dependent on the severity of the injury and the frequency SIB. (see table below)

Behavior Scoring: Mild, Moderate, or Severe

		Frequency		
		Once in a month	More than once in a month	More than once in one week
Severity	No harm, bruising, pin pricks or abrasions	Mild	Moderate	Severe
	Surface lacerations	Moderate	Severe	Severe
	Subcutaneous wounding	Severe	Severe	Severe

3. Medical intervention is required for animals with severe SID in addition to behavioral management. Tranquilization (e.g. diazepam, acepromazine or other medication) is generally the first line treatment. Efficacy may not be seen for 3 or 4 days.
4. If SIB continues, tranquilization can be continued or additional drugs such as fluoxetine, sertraline, chlorpromazine, and buspirone can be used and continued for an indefinite amount of time. Fluoxetine and sertraline require up to several weeks to be effective so concurrent tranquilization is required. If above medications are not effective, additional drugs affecting animals' behavior could be tried, such as: amitriptyline, clomipramine, L-tryptophan, naloxone, clozapine, resperidone, guanfacine or other medications. L-tryptophan is a precursor of serotonin and effective results are slow to develop.
5. Heavy bandages (boxing gloves), E-collars, or epoxy casts may be beneficial and considered for more difficult cases. Animals on long term tranquilizers will have blood work every quarter (at the time of TB test). The investigator will be consulted before initiating treatment involving less commonly used drugs (mood-altering etc.)
6. Long term treatment is recommended when the animal is of high value to the investigator and the treatment plan is effective in reducing episodes of surface lacerations (or worse).
7. Treatment plans will be evaluated periodically (at least monthly) in collaboration with the behavioral staff during the management of the case and at each SIB episode.
8. If multiple treatment plans are no longer effective and SIB continues to occur (≥ 3 incidents in a 6 month period) resulting in surface lacerations (or worse) euthanasia or use in an acute study within 30 days is recommended.
9. If the principal investigator disagrees with the above recommendation (euthanasia or acute study), the facility veterinarian will notify the Chief, Veterinary Medicine Branch, of the

disagreement. The Chief, VMB will notify the Director, DVR and the Chair, ORS/DVR ACUC regarding an animal welfare concern.

10. All treatments and observations will be documented in the animal's medical record, and a notation will be made on the Master Problem list that the animal has SIB. If the animal is on long term medication then a note will be made on the Master Problem list (or a sticker placed) which indicates the medication, dosage, and frequency being prescribed.

BEHAVIORAL MANAGEMENT

1. Any monkey reported with SIB will be evaluated by the next business day after the behaviorist receives notification of the initial event.
2. Behavioral intervention begins by observing the specific cases and providing a treatment plan for individual animals. For most cases, intervention begins by placing a visual block on the front of the cage housing the monkey demonstrating SIB.
3. The behaviorist assesses the effectiveness of visual block in modifying the behavior. If there is little obvious improvement following visual block placement, the behaviorist may recommend that monkey may be moved to another part of the room. The behaviorist will make recommendations regarding where in a room to move a particular monkey.
4. Socialization may also benefit the animal. If socialization is allowed by the protocol (s), the behaviorist may recommend this option. This option is reviewed on a case by case basis. See [SOP 403](#) for procedures to describe socializations procedures in monkeys.
5. The behaviorist consults with the veterinarian to determine any relevant background for each case of SIB. Based on this investigation, the behaviorist and the veterinarian determine the best course of action for each case.
6. On continued reporting of supplemental incidents of self injurious behavior, the behaviorist will work with the veterinarian to determine the best resolution to the problem.
7. Every monkey in the facility is observed or scanned for behavior problems at least monthly. When scanning the behaviorist looks for any evidence of self trauma, pin pricks, abrasions, or lacerations. Any animal observed with these early indicators is added to the weekly observation and monthly treatment evaluation lists. If the event is directly observed by the behaviorist, these findings are reported to the veterinarian that same day.
8. All behavioral observations and treatments will be documented according to [SOP 401](#).

REFERENCES

Chen, G-L, Novak, MA, Meyer, JS, Kelly, BJ, Vallender, EJ, Miller, GM. TPH2 5' – and 3' – regulatory polymorphisms are differentially associated with HPA axis function and self-injurious behavior in rhesus monkeys. *Genes, Brain and Behavior* 2010. doi:10.1111/j.1601-183X.2010.00564.x

Chen, G-L, Novak, MA, Meyer, JS, Kelly, BJ, Vallender, EJ, Miller, GM. The effect of rearing experience and TPH2 genotype on HPA axis function and aggression in rhesus monkeys: A retrospective analysis. *Hormones and Behavior*. 2010. 57:184-191.

Davenport MD, Lutz CK, Teifenbacher S, Novak MA, Meyer JS. A rhesus monkey model of self-injury: effects of relocation stress on behavior and neuroendocrine function. *Biol Psychiatry* 2008. 63: 990-996.

- Kumar, R, Palit, G., Dhawan, BN. Comparative behavioural effects of typical and atypical antipsychotic drugs in rhesus monkey. *European Journal of Pharmacology* 2003. 462:133-138
- Novak, MA. Self-injurious behavior in rhesus monkeys: new insights into its etiology, physiology, and treatment. *Am J Primatol.* 2003. 59:3-19.
- Novak, MA, Crockett, C, Sackett, GP, 2002. Self-injurious behavior in captive macaque monkeys. In: **Self-injurious behavior**. Gene-brain-behavior relationships. Schroeder, SJ, Oster-Granite, M, Thompson, T. Eds. APA, Washington, DC. pp 151-161
- Weld KP, Mench JA, Woodward RA, Bolesta MS, Suomi SJ, Higley JD. Effect of tryptophan treatment on self-biting and central nervous system serotonin metabolism in rhesus monkeys (*Macaca mulatta*). *Neuropsychopharmacology*. 1998. 19:314-21.

SOP 405

Approved: *Charmaine Foltz, D.V.M.* **Date:** 5/14/2010
Director, Division of Veterinary Resources, ORS

Date Issued: 7/26/2007

Date Revised: 5/14/2010

TITLE : Clinical and behavioral assessment of abnormal behavior in primates
SCOPE : Veterinary, husbandry and behavior staff
RESPONSIBILITY : Veterinarians and behavior staff
PURPOSE : To operationally describe intervention strategies and procedures for abnormal behavior cases in primates

GENERAL

Nonhuman primates may exhibit abnormal behaviors including locomotor stereotypy, hair loss and floating limbs in response to stress (a trigger).

Triggers May Include:

- Anesthetization of other monkeys in the same room for sample collection
- Movement of other monkeys from room to room for cage cleaning
- Conduction of animal procedures either in the room or outside the room in the hallway which included the subject monkey. i.e., checking water lixits, room wash down, health check observations, behavioral observations.
- Conduction of animal procedures either in the room or outside the room in the hallway which did not include the subject monkey
- Building construction above, adjacent to, or within the same building where the monkey is being held.
- Any other potential event which could stimulate the monkey to engage in abnormal behavior.

Note: Individuals working with non-human primates should be aware of their potential influence to escalate the display of abnormal behavior.

BEHAVIORAL OBSERVATIONS

1. Every monkey in the facility is observed or scanned for behavior problems at least monthly. When scanning the behaviorist looks for any evidence of self trauma, pin pricks, abrasions, or lacerations or behavior problems. Any animal observed with these early indicators is added to the weekly observation and monthly treatment evaluation lists.
2. The behaviorist consults with the veterinarian to determine any relevant background for each case. Based on this investigation, the behaviorist and the veterinarian determine the best course of action.
3. All behavioral observations and treatments will be documented according to SOP 401. If a trigger can be identified, it is noted in the behavior record.

BEHAVIORAL MANAGEMENT

1. Any monkey reported with abnormal behavior will be evaluated by the next business day after the behaviorist receives notification of the initial event.
2. Behavioral intervention begins by observing the specific cases and providing a treatment plan for individual animals. For most cases, intervention begins by placing a visual block on the front of the cage housing the monkey demonstrating abnormal behavior.
3. The behaviorist assesses the effectiveness of visual block in modifying the behavior. If there is little obvious improvement following visual block placement, the behaviorist may recommend that monkey may be moved to another part of the room. The behaviorist will make recommendations regarding where in a room to move a particular monkey.
4. Socialization may also benefit the animal. If socialization is allowed by the protocol (s), the behaviorist may recommend this option. This option is reviewed on a case by case basis. See [SOP 403](#) for procedures to describe socializations procedures in monkeys.
5. If intervention steps do not eliminate or attenuate a behavioral problem, it will be noted in the behavior record for future reference.

COMMON ABNORMAL BEHAVIOR IN PRIMATES

Locomotor Stereotypy (LST)

LST is defined as moving in a repetitive, ritualized pattern that serves no obvious function (i.e., is not a part of play, sex, grooming, etc). Subcategories can include pacing, circling, flipping, non-huddled rocking, and head tossing. The presence of strange or unusual sounds or people in a colony room may be a sufficient trigger to stimulate locomotor stereotypy in monkeys. The presence of familiar individuals in a colony room, i.e., care staff, facility managers, behaviorists, or veterinarians, may also elicit a locomotor stereotypy from resident primates.

Scored: *Mild, Moderate, or Severe*

- **Mild:** (2) Animal engages in locomotor stereotypy in specific contexts (e.g. only when someone first enters room, only during feeding or distribution of novel food), and is easily interrupted.
- **Moderate:** (3) Animal engages in intermittent locomotor stereotypy in various contexts, and is not easily interrupted.
- **Severe:** (4) Animal engages in locomotor stereotypy for the majority of daily activity budget, stopping infrequently and for short periods of time. A video recording can be used to make this determination.

Hair Loss (HLS)

Hair loss is not a behavior abnormality in itself, but a symptom of an underlying problem. Scored using two components: percentage of body missing hair and pattern of hair loss.

Scored: *Mild, Moderate, or Severe*

		Percentage of Body with Hair Loss		
		1-33%	34-66%	67-100%
Pattern of Hair Loss	Thinning/Mottled	Mild (2)	Mild (2)	Moderate (3)
	Patchy/Bald	Moderate (3)	Severe (3)	Severe (4)

Pattern of Hair Loss:

- **Thinning:** Hair is evenly but sparsely distributed.
- **Mottled:** Areas of hair intermixed with small patches of thin or missing hair that is most often observed on the limbs
- **Patchy:** Areas of hair intermixed with large patches of missing hair
- **Bald:** Well defined areas of missing hair

References

Kramer, J., Fahey, M., Santos, R., Carville, A., Wachtman, L. & Mansfield, K. Alopecia in rhesus macaques correlates with immunophenotypic alterations in dermal inflammatory infiltrates consistent with hypersensitivity etiology. 2010. *J Med Primatol* 39:112-122.

Novak, MA, Meyer, JS. Alopecia: Possible causes and treatments, particularly in captive nonhuman primates. 2009. *Comp Med* 59: 18-26.

Floating Limb (FLT)

FLT- While sitting passively, one limb or tail is observed beginning a slow, upward movement. This apparently goes unnoticed at first by the animal. Scored using two components: context in which the behavior occurs and level of response by the animal to the limb.

Scored: Mild, Moderate, or Severe

		Context	
		Specific	Non-Specific
Response	Non-Aggressive	Mild (2)	Moderate (3)
	Aggressive	Moderate (3)	Severe (4)

Context:

- **Specific:** Behavior only occurs under stressful circumstances (e.g. only when someone stares directly at the animal).
- **Non-Specific:** Behavior occurs under many different circumstances, may not appear to be stimulus cued.

Response:

- **Non-Aggressive:** Animal ignores floating limb or notices limb but does not react by attacking the limb.
- **Aggressive:** Animal attacks the floating limb.

SOP 406

Approved: *Charmaine Foltz, D.V.M.* **Date:** 10/6/2010
Director, Division of Veterinary Resources, ORS

Date Issued: 2/25/2004

Date Revised: 10/6/2010

TITLE : Environmental Enrichment for Pigs Housed in DVR Buildings
SCOPE : Animal care staff
RESPONSIBILITY : Facility Manager and Enrichment Manager
PURPOSE : To outline the circumstances and procedures by which environmental enrichment will be provided to pigs

All pigs housed in DVR buildings will receive environmental enrichment via foraging and access to movable objects. The best enrichment for pigs is social housing where allowable and appropriate. The type and frequency of enrichment provided will be documented on the animal room log or on an enrichment log.

SOCIAL HOUSING

Pigs will be socially housed whenever possible, appropriate, and allowable, under an approved protocol. Exemptions or exceptions to social housing will be documented in the animal record and noted on either the kennel or pen door.

FORAGING

1. Environmental enrichment will include provision of foraging materials such as one flake of straw or hay (approximate measure). Foraging materials will be distributed into the kennel or pen according to a predetermined schedule. The recurring frequency of foraging rotations will depend on the current pig census in the building. Group housed or paired pigs will stay together during foraging opportunities whenever possible.
2. If animals need to be exempted from foraging opportunities, the reason will be documented in the medical record and noted on the pen or kennel where appropriate.
3. A small handful (approximately half a cup) of appropriate supplemental foraging materials such as popcorn, jellybeans, unsalted peanuts, cereal, Beggin' Strips®, primate biscuits, or dog biscuits will be distributed into or on top of the straw or hay as a novel food item in order to increase foraging time.
4. The foraging materials will remain available in the kennel or pen overnight.
5. The following morning, each kennel or pen will be swept clean of any remaining foraging materials. The kennel or pen will be cleaned as described in [SOP 802](#) before new animals and foraging materials are introduced to the pen.

MOVABLE OBJECTS

1. All pigs will be provided with hanging challenger balls and a bite rite toy. Pigs will also have at least one floor toy such as large hard plastic balls or similar items.

2. Hanging items will be secured with either a quick-link or a keyed lock to prevent the enrichment object from working loose from its attachment.
3. The challenger balls will be filled with approximately one to two handfuls (approximately one cup) of appropriate supplemental foraging materials e.g. jellybeans, unsalted peanuts, popcorn, cereal, primate biscuits, or dog biscuits, two times per week.
4. Bite rite sticks will be replaced when a minimal chewing surface remains.
5. Enrichment devices will be cleaned and sanitized as described in [SOP 802](#).



Pig interacting with a challenger ball



Pigs using the bite rite chew toy

SOP 411**Approved:** *Charmaine Foltz, D.V.M.* **Date:** 1/8/2011
Director, Division of Veterinary Resources, ORS**Date Issued:** 5/31/2005**Date Revised:** 1/8/2011

TITLE : Environmental Enrichment for Agricultural Animals
SCOPE : Animal care staff
RESPONSIBILITY : Facility Manager
PURPOSE : To describe environmental enrichment for agricultural animals

1. Socially housing agricultural animals in naturalistic settings provides environmental enrichment.
2. If agricultural animals need to be housed indoors for either protocol related reasons or due to illness, animals will be paired if possible or provided with opportunities to interact with a conspecific either by sight, smell, or sound.
3. Agricultural animals are provided with species specific supplemental enrichment at least once per week, which may include fruits, vegetables, or other approved food items.
 - a. Supplemental enrichment for horses may consist of a salt lick and or Likit scented horse treat.
 - b. These items are replaced as needed.
4. Scratch pads for horses
 - a. Scratch pads are mounted inside the loafing shed.
 - b. Scratch pads will be sanitized during the regular barn sanitization schedule
 - c. Broken or torn scratch pads will be replaced as needed

SOP 420

Approved: *Charmaine Foltz, D.V.M.* **Date:** 4/22/2010
Director, Division of Veterinary Resources, ORS

Date Issued: 1/8/1998

Date Revised: 4/22/2010

TITLE : Behavioral Evaluations of Dogs Housed in DVR Buildings
SCOPE : All Staff
RESPONSIBILITY : Behavior Staff
PURPOSE : To outline the circumstances and procedures by which behavioral evaluations for dogs will be conducted

All dogs housed in a DVR facility will receive a behavioral evaluation following their entry into a DVR building; on a yearly basis while remaining in the DVR facility; or when referred by the carnivore unit personnel.

CANINE ENTRY EVALUATIONS

1. In accordance with SOP [702](#) the DVR behavior staff will evaluate all dogs entering a DVR facility during the beginning of the second week following their arrival.
2. For dogs born in-house, the first behavioral evaluation will be conducted at 3 months of age.
3. Upon completion of the evaluation, the behavior staff will notify the senior veterinary technician and veterinarian of any problem dogs.
4. If a dog has minor behavior problems it will receive a formal review conducted by a behaviorist. That evaluation provides a plan of action addressing the behavior problem with the goal of decreasing or eliminating the undesirable behavior. In addition to these initial reviews, dogs may be referred to the behaviorist for supplemental evaluation.

CANINE BEHAVIOR REFERRALS

1. The carnivore unit personnel will report any canine behavior problems observed to the behavior staff.
2. Upon receiving a referral, the behavior staff will evaluate the animal within 2 business days.
3. The evaluation data, including a plan of action, are entered into the electronic behavior database and a copy of the behavior record is placed in the animal's medical record.
4. The behavior staff is responsible for following up on dogs that are in the referral program until they are either released from the facility or the behavior problem is resolved.

CANINE YEARLY EVALUATIONS

1. A behavioral evaluation will be conducted for any dog still housed in a DVR facility one year following its last evaluation. Evaluations will be conducted on an on-going basis for all dogs still resident in the program after one year.

2. The same procedure used to test for suitability during entry evaluations will be used.
3. A copy of the yearly behavior evaluation will be placed in the animal's medical record.

SOP 421

Approved: *Charmaine Foltz, D.V.M.* Date: 4/22/2010
Director, Division of Veterinary Resources, ORS

Date Issued: 5/12/2004

Date Revised: 4/22/2010

TITLE : Environmental Enrichment for Dogs Housed in DVR Buildings
SCOPE : Animal Care Personnel, Investigator Staff, Behavior Staff
RESPONSIBILITY : Facility Management, Behavior Staff
PURPOSE : To outline the circumstances and procedures by which environmental enrichment will be distributed to dogs

1. All kennels will contain an assortment of at least 2 sanitizable toys (floor toys; hanging toys; tug toys) and may be equipped with resting benches.
2. All dogs are housed in pairs or groups unless exempted from social housing due to protocol, health, or well-being as determined by the attending veterinarian. Single-housed dogs will be housed in a manner that permits animals to have auditory and olfactory contact with other dogs. All dogs are housed in indoor/outdoor runs with a minimum floor space of 100% of the required floor space for each dog if maintained separately. Dogs may be individually housed in an indoor/outdoor run due to health or well-being issues as determined by the veterinarian. Animals may also be housed individually if they exhibit aggressive or vicious behavior that precludes their compatible pairing with another animal. Compatibility criteria and reasons for individual housing will be recorded in the animal's record or in a database maintained by the behavior staff.
3. Dogs may be housed individually in a smaller enclosure (metabolism cage or kennel) during active participation in an approved ASP or due to health reasons at the discretion of the veterinarian (who will review the exemption every 30 days and document in the medical record). This housing must still provide 100% of the minimum allowable floor space. These dogs must be allowed outside the cage at least daily for exercise, unless exempted from exercise by an approved ASP. Any dog that is maintained without sensory contact, i.e., the inability to hear, see, or smell another dog, must be provided with positive physical contact with humans at least daily for a minimum of 10 minutes. Exercise and positive physical contact will be documented on a canine activity log or in the animal's medical record.

Definition - Positive physical contact means: petting, stroking, or other touching which is beneficial to the well-being of the animal.

4. Dogs that are born in-house and/or designated for long-term study protocols will actively participate in a canine socialization and training program where appropriate by protocol. Socialization and training notes are entered on a canine training log form or in the electronic behavioral database. Note: Only dogs of the same-sex are allowed physical contact, unless the opposite sex dog has been spayed or neutered. Exceptions are made for breeding pairs requested by investigative staff.
5. Single-housed dogs that are not actively participating in the canine socialization and training program or that have reduced conspecific contact due to behavioral or physical conditions are provided with supervised supplemental human contact or activity outside of their kennel on a scheduled basis. Documentation of supervised activity is entered on a canine activity log.

6. In addition to their standard diet, each dog may receive novel food such as a treat once per day (documented on the animal husbandry log) where appropriate by protocol, well-being, and with the concurrence of the Principal Investigator and Veterinarian.

SOP 422

Approved: Charmaine Foltz, D.V.M. **Date:** 4/22/2010
Director, Division of Veterinary Resources, ORS

Date Issued: 12/2/2009

Date Revised: 4/22/2010

TITLE : How to retrieve a dog displaying aggressive or fearful behavior
SCOPE : All staff working with dogs
RESPONSIBILITY : Behavior staff, Facility Manager, Veterinarians
PURPOSE : To describe recognizing and safe handling of potentially aggressive or fearful dogs

NOTE: Understanding the proper technique for handling a dog acting in a potential aggressive manner is critical for maintaining the safety of both the animal and the handler.

RECOGNIZING AGGRESSIVE OR FEARFUL BEHAVIOR

An aggressive or fearful dog is one that may snarl, growl, or bark at the approach of a caregiver. A dog may react with aggressive actions when fearful or if lacking socialization. Caution should be exercised if any of the behavior patterns listed below are observed when approaching dogs.

The following list of fear elicited or provoked behaviors can be used as potential warning signals for staff attempting to retrieve a dog from a kennel.

- Intense focus: can include a closed mouth and/or either staring or jerking motions of the eyes, head or body
- Turning head: turning the head away from an observer and looking at the observer with the whites of the eyes visible
- Too quiet (standing very still) or too much motion (panic).
- Yawning and/or snout licking
- Lifting a front paw
- Suddenly starting to smell an object or area that has been present all along
- Avoiding or hiding : Could include alternating between hiding and charging, may also be vocalizing (growling or barking)
- Lowered body posture: Lower body posture than upright and normal, including crouching and lying down “frozen”
- Low head and ears back: Lowered head and ears flattened back
- Tail position: Tail down or low
- Pupils, hair loss, drooling or panting: Pupils dilated, shedding hair, shaking, drooling, excessive panting not due to ambient temperature
- Aggressive threats: growling – snarling – lunging – snapping

- Wagging tail: A wagging tail is only a sign of arousal. It could be a sign of stress, excitement, fear or aggressive intent.
- If an animal is standing very still, looking as though standing on tip toes, mouth closed, ears forward (whole body looking like animal is leaning forward) possibly while growling and/or corners of mouth forward, the animal is engaging in an offensive threat.

All of these signs of fear or aggression are context specific. It is always important to watch the whole body, not just one body part. The above signs can occur separately or together. They can happen in any order and not all listed behavior patterns will be seen each time a dog is retrieved from a kennel. A dog may bite after one warning or after several warnings. Each dog is different and will react differently to different situations.

Body postures are depicted on the last page of this SOP

BITE THRESHOLD

Each dog has a bite threshold based on previous experience and comfort level in certain situations. Be aware that a given dog may lip lick while having teeth examined (below threshold as dog is visibly stressed but not threatened enough to bite) and then on another occasion may growl while restrained (below threshold). If the same dog is then restrained while the teeth are examined, the dog may be above threshold and may bite.

HANDLING PROCEDURE FOR RETRIEVAL OF AN AROUSED, AGITATED, OR FEARFUL DOG

The outlined steps provide guidance on ways to decrease a dogs' arousal level.

Decreasing Arousal

1. Decrease arousal response, i.e., calm an agitated dog:
 - a. Do not look directly into the dog's eyes
 - b. Turn your head to the side so as not to face the dog
 - c. Turn your body perpendicular to the dog's body
 - d. Do not bend over a dog (if possible)
 - e. Do not walk straight towards the dog- it is best to walk towards a dog in semi-circle path
 - f. If possible, avoid touching a dog who is showing a fearful or aggressive response towards another human or dog (this dog could redirect and bite the person touching the dog)
 - g. Never corner a dog
2. Always keep in mind that a dog that is showing signs of fear or aggression in its kennel may not show these signs once outside of the kennel and vice versa.
3. Find someone the dog already knows

HANDLING AND CATCHING A DOG

If you must catch and handle a dog and a knowledgeable person or someone the dogs knows cannot be located to retrieve the animal then the steps outlined below should be followed:


1. Obtain the necessary handling equipment: Red dog board, slip lead (not a leash), muzzle
2. Stay calm
3. The person entering kennel should not be reactive themselves. Their movements should be slow and deliberate. If they suddenly become upset or move erratically, the dog will likely react poorly in response.
4. Placing muzzle
 - a. Keep slip lead and muzzle in back pocket of scrubs.
 - b. Open kennel door using the dog board as a barrier between you and the dog (shut door after entering).
 - c. Walk slowly toward the dog using the board to keep the dog away. Keep the board between you and the animal in front of you at all times.
 - d. Wait for the dog to calm down while you ready your equipment. Avoid making direct eye contact with the dog at any time.
 - e. Kneel behind board keeping your face, particularly the eyes covered

Placing a Collar

1. If the dog does not require urgent care, the best method for handling a dog is to allow the animal to approach on its own, then attempt to slowly reach out and touch animal under chin or on chest. After a few strokes, handling can proceed up towards shoulder blades, face, back and on towards rear of animal.
2. Unless the animal is already displaying an offensive threat, attempts should be made to see if animal allows this type of handling.
3. A regular flat collar should be used rather than a slip collar. A slip collar should only be used as a last resort. The tension caused around a dog's neck by a slip collar can heighten the arousal level of a dog and may increase the chance of an aggressive response.
4. If unable to calm the animal enough to handle safely as described above, loosen slip lead so that the neck loop is large enough to easily drop over dog's head.
5. After quickly dropping the lead over the dog's head, be sure not to drop the handle. If the dog does attempt to lunge, you can use the slip lead together with the dog board to keep the dog away from you.
6. If dog has been desensitized to muzzle and responds in a calm or anticipatory (relaxed facial muscles, relaxed muscles in body, mouth is not closed, no whites of eyes are visible, animal is not trying to duck away from muzzle) manner to sight of muzzle, place muzzle on dog. If the dog is unwilling to approach muzzle due to pain, fear or other distress due to current situation, use the end of the lead to safely send a muzzle down the length of the leash toward the dog's face. Try to guide it as close to the dog's snout as possible in order to quickly snap the muzzle behind dog's ears. Use extreme caution. If the dog has not been desensitized to a muzzle, it can be often safer to just lead the dog out on the lead without the muzzle and work with animal outside of the kennel.
7. Handle dog as necessary.

When Puppies Are Present

If puppies are present it may be necessary to isolate the mother before working on either the puppies or the female. Treats can be used to lure the female into a separate kennel away from the puppies. The process of handling the female once separated from the puppies is the same as described above. In an effort to prevent aggression from a female with puppies, once it is known that the female is pregnant, staff members who will most likely have to work with her (or the puppies) after delivery should begin positive interaction with the female while she is still pregnant.



16. Facility Health Status

Consult with the Facility Veterinarian for information on the health status of the facility, health surveillance program, isolation requirements for incoming animals, and assistance with colony health information for importing, exporting or transferring animals.

17. Quarantine

Normal quarantine and conditioning is performed at the NIH Animal Center.

If a facility experiences an outbreak of an adventitious agent that would normally be excluded, quarantine procedures will be implemented by the Facility Veterinarian and Facility Manager. These procedures could involve modifications in husbandry procedures such as special room entry orders / traffic patterns and colony testing depending on the agent involved.

For additional information on quarantine procedures, please see the following SOP 610.

18. Isolation

Ungulates and carnivores will be isolated at the NIH animal center in Poolesville prior to being housed in building 28, unless a specific exception is requested, and the facility is able to accommodate the request. During isolation, animals will be tested for internal parasites, and monitored for signs of infectious agents. This isolation period protects the resident colony for possible infection, and is generally about two weeks in duration for animals coming from NIH approved vendors.

SOP 610

Approved: *Charmaine Foltz, D.V.M.* **Date:** 5/11/2011
Director, Division of Veterinary Resources, ORS

Date Issued: 3/07/1991

Date Revised: 5/11/2011

TITLE : Quarantine of Nonhuman Primates
SCOPE : Animal Care Personnel and Veterinary Technicians
RESPONSIBILITY : Facility Manager and Veterinarians
PURPOSE : To Establish Proper Quarantine Procedures for Nonhuman Primates

GENERAL

1. Isolation of newly received non-human primates (NHP) from external sources is necessary to determine their health status and suitability for use in research and for entry into NIH animal facilities. The quarantine period also allows time for the animals to be acclimated to their new environment, and to recover from shipping stress.
2. The disposition of any NHP developing signs of infectious disease during the quarantine period will be determined by the veterinarian. If euthanized, the animal will be submitted to the pathology service for a diagnostic examination. If the veterinarian elects to treat the animal(s), quarantine may be extended at the discretion of the veterinarian.
3. Personnel will wear PPE as described in [SOP 109](#). To prevent the possible spread of pathogens to other animals in the facility, the outer layer of protective clothing will be immediately removed upon leaving the room, and shoes/boots cleaned in a foot bath.

RECEIPT AND IDENTIFICATION OF ANIMALS

1. All animals will be accompanied by a health certificate signed by a licensed veterinarian or appropriate foreign regulatory official, medical records, experimental history and colony of origin health history.
2. Animals are visually assessed immediately upon delivery by a technician to detect any problems that may have developed during transport. Any problems are communicated immediately to the veterinarian.
3. All personnel unloading the animal crates, including the driver, will wear PPE as described in SOP 109. Personnel handling wooden shipping crates must wear gloves adequate to prevent injuries from sharp object (splinters, wires and other metal objects).
4. Crated animals will be immediately delivered to the designated quarantine room and housed within 4 hours of delivery in individual cages unless given a waiver by the facility veterinarian.
5. The animal's identification number (generally a tattoo) is recorded on the cage or cage pan and the animal's record, and serves as the primary method of permanent identification throughout the quarantine period. Place a small amount of food (about 1/4 of a daily ration) and fruit into each food hopper.
6. A Quarantine sign will be placed on the door.

7. An individual health record and the Quarantine Procedures Plan will be established within 24 hours of receipt.
8. Animals will be visually examined by the veterinarian and their existing medical record reviewed within 48 hours of arrival. The veterinarian will perform complete physical examination by between 3 and 7 days after arrival, to allow the animals to acclimate to the facility before being sedated. For animals procured from commercial sources not meeting contract specifications, the disposition will be determined by the veterinarian in consultation with the vendor.

DISEASE DETECTION, PREVENTION AND CONTROL PROCEDURES – MACAQUES AND AFRICAN GREEN MONKEYS

Week 1

An in-processing physical exam will be conducted by a veterinarian. Perform TB test, weigh, administer Ivermectin (0.2 mg/kg SQ) and draw blood for CBC and chemistry panel. Feces will be collected for parasite exam and/or enteric pathogens as directed by the veterinarian. Normally, rectal swabs and/or parasite exams are performed after 3 consecutive days of diarrhea or whenever blood is noted in the feces. Animals will be tattooed as needed.

Week 3

TB test #2 (alternate eye lids) and weigh.

Week 5

TB test #3 (alternate eye lids), weigh, administer Ivermectin (0.2 mg/kg SQ) and tattoo as necessary. For macaques, draw blood for SAIDS/Herpes/measles testing. SAIDS testing consists of serology for SRV-1, 2, 3, and 5, SIV, STLV-1 & 2; and PCR for SRV-1, 2, 3 and 5. Virus profiles for African Greens will consist of SIV, SA8, SA11, SHF, STLV-1 & 2, and measles.

Week 7

TB test #4 (alternate eye lids), weigh.

Week 9-13 (typically)

Perform an exit exam. Quarantine is completed, as determined by the facility veterinarian.

DISEASE DETECTION, PREVENTION AND CONTROL PROCEDURES – BABOON, PATAS AND NEW WORLD SPECIES

Week 1

Perform TB test #1, weigh, administer Ivermectin (0.2 mg/kg SQ) and draw blood for CBC and chemistry panel. The veterinarian will perform an in-processing physical exam. Feces will be collected for parasite exam and/or enteric pathogens as directed by the veterinarian. Normally, rectal swabs and/or parasite exams are performed after 3 consecutive days of diarrhea or whenever blood is noted in the feces. Animals will be tattooed as needed.

Week 3

TB test #2 (alternate eye lids) and weigh.

Week 5

TB test #3 (alternate eye lids), weigh, administer Ivermectin (0.2 mg/kg SQ). Virus profiles for baboons will consist of HPV-2, SIV, STLV-1,2, EBV, SA11, and measles. Virus profiles for patas monkeys will consist of SHF, SIV and measles. Virus profiles for new world species will be Herpesvirus platyrrhinae, Herpesvirus saimiri, SquiCMV, and measles

Week 9-13

Perform exit exam. Quarantine is completed, at the discretion of the facility veterinarian.

QUARANTINE RELEASE PROCEDURES

1. At the end of the designated quarantine period, a veterinarian will conduct a physical examination, recording all findings in the animal's medical record.
2. The veterinarian will conduct a complete review of the medical record to ensure quarantine release is appropriate (i.e. consecutive, negative TB tests (4 for macaques & African Greens and 3 for New World, patas and baboons), negative fecal cultures (as needed), and a satisfactory exit physical exam.
3. Animals will not be released from quarantine if the veterinarian determines that they harbor a disease that poses a threat to established NIH animal colonies or their health status is such that they would not be suitable for the intended procedures described in the ASP. The disposition of these animals will be determined in consultation with the IC veterinarian and the Principal Investigator as appropriate.

BEHAVIORAL EVALUATION

A member of the behavior staff will evaluate each primate within two weeks following arrival in the facility and generate an individual behavioral evaluation which becomes part of the animal's permanent record.

19. Transferring Animals between NIH Facilities

Coordination of animal transfers is performed by the Facility Managers of the sending and receiving facilities. To transfer animals between buildings on the NIH campus, please contact the Facility Manager of the sending facility. The sending facility will submit health reports to the receiving facility. Upon notification of approval the sending facility will make transportation arrangements and prepare the animals for transport. The sending facility will also notify the investigator of the date of the transfer. If the request is denied by the receiving facility, the sending facility will ensure that the requester is informed.

20. Shipping/Transporting

Local animal transportation can be arranged through the DVR transportation services using the online request form at <http://dvr.od.nih.gov>, or in an emergency, calling 301-496-8184. Transportation services must be scheduled *at least* 24 hours in advance.

Out of state and or out of the country transportation is arranged through the NIH Shipping Office at 301-496-5921. The following forms: NIH 1884 shipping request; [NIH 1192](#) health report; the [NIH transfer agreement](#); and, the USDA health report must be filled out prior to shipping.

21. Animal Receiving Procedures

When incoming animals are received, they will be inspected, identified with a cage card and transferred to the holding area. DVR recommends 2-3 days acclimation time prior to using the animals in any procedures, animals received from vendors will enter quarantine holding areas for a minimum of 2 weeks isolation.

22. Locker Room / Lunch Room / Break Room Procedures

The locker room, lunchroom, and break room are available for use. Please be aware that they are shared with DVR staff, contract staff, and staff from other ICs. Please respect this area and clean up after yourself when using these resources.

PPE should not be worn in the lunchroom and break room.

23. Operation of Squeeze Cages/Racks, Locks

This information is covered as a hands-on portion of the Non-Human Primate Safety Awareness Training.

24. Animal Exposure Program Compliance

The Animal Exposure Program is defined in NIH [Policy Manual 3044-2](#):

Animal Exposure Program (AEP) - That portion of the NIH occupational health program, managed by the Occupational Medical Services, Division of Occupational Health and Safety, specifically designed for all NIH personnel who work in animal facilities and/or areas where research animals are housed or used and who have significant contact, (as determined by the Principal Investigator or Immediate Supervisor), with research animals or their fresh tissues or body fluids. Institute and Center programs outside the metropolitan Washington DC area, e.g. NCCR's Alamogordo Primate Facility, NIA, NIDA, NIEHS and NIAID-RML, shall implement equivalent programs, as appropriate.

As part of the AEP requirements, those entering the facility must have a negative TB test within the last year.

25. Additional DVR Services

Diagnostic Services

DVR operates a central animal diagnostic laboratory staffed by five board-certified veterinary pathologists. Our pathologists are available for research consultation as well as investigation of non-protocol related illness and disease. Other diagnostic support services include bacteriology, mycoplasmaology, serology, parasitology, histopathology, electron microscopy, immunocytochemistry, and genetic monitoring.

Nutrition

DVR monitors animal feed and bedding purchased for use at the NIH. The DVR laboratory animal nutritionist provides quality assurance of animal feed and bedding, formulates standard diets and special diets for specific research protocols, and is available to consult with investigators and veterinarians who require assistance in the selection, formulation, and analysis of laboratory animal diets and bedding.

For more information on DVR Nutrition, please visit our website at <http://www.ors.od.nih.gov/sr/dvr/> or contact Dennis Barnard at 301-402-7255.

Pharmacy

The DVR Pharmacy provides fast, convenient and cost-effective one-stop shopping for veterinary and human over-the-counter or prescription products. Many high volume items are kept in stock in the pharmacy and are available for immediate pick up. The DVR Pharmacy has

access to a Government Pharmacy Prime Vendor contract which provides excellent pricing on human drug products and is able to realize a significant cost savings to our customers.

The pharmacist is available for consultation involving protocol design and drug applications, dosages, delivery methods, and interactions or adverse effects. The DVR Pharmacist can assist NIH veterinarians and investigators in the selection and purchase of veterinary or human medications and products required for research protocols.

For more information on the DVR Pharmacy, please visit our website at <http://www.ors.od.nih.gov/sr/dvr/> or contact Karen Sillers at 301-435-2780.

Behavior, Social Management, and Enrichment

DVR animal behaviorists provide expertise and consultation to NIH investigators and veterinarians. The DVR behavior management staff also designs programs to enrich environments and ensure the psychological well-being of research animals. Programs are in place to address social housing, manipulable objects, food treats, exercise, animal training and conditioning, innovative housing, and human interactions for each animal species maintained in DVR facilities and across NIH.

For more information on DVR's Behavior, Social Management, and Enrichment services, please contact Dr. Jim Weed at 301-435-7257.

Reporting Animal Welfare Concerns



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

National Institutes of Health
Bethesda, Maryland 20892

March 26, 2010

TO: Addressees

FROM: Deputy Director for Intramural Research, National Institutes of Health

SUBJECT: Communicating Animal Care and Use Concerns within the NIH Intramural Research Program

As the NIH Institutional Official (IO) for Intramural animal research this memorandum reaffirms my commitment to maintain full and open communications regarding animal care and use in the NIH Intramural Research Program (IRP). I feel strongly that all IRP staff must clearly and thoroughly understand NIH management and administrative practices to best enhance our research environment. The care and use of animals in NIH research requires compliance with Federal laws, regulations and policies.

I strongly encourage anyone in the NIH IRP, including NIH employees and contractors, who have concerns regarding the care and use of animals in research at NIH to voice those concerns. The concerns may be reported anonymously to me, and/or the Director, Office of Animal Care and Use. Additionally, any animal welfare concern can be reported to the members of the Institutes/Centers (IC) Animal Care and Use Committees (ACUC) or to the IC Facility Veterinarians. Concerns relayed through any of these routes will be reviewed by the respective IC ACUC and corrective measures instituted, if appropriate.

The OACU Director assists me in assessing all concerns. My office determines the level at which the concern is pursued, including involving the Animal Research Advisory Committee (ARAC) Ombudsman, who can mobilize further resources as outlined in the ARAC Guideline: Responding to Animal Care and Use Complaints from Outside the NIH, http://oacu.od.nih.gov/ARAC/documents/Complaint_Response.pdf.

The Office of Laboratory Animal Welfare (OLAW) issued reporting guidance in 2005. Any of the following incidents (extracted from OLAW's guidance) must be reported promptly to one of the responsible individuals described above. OLAW guidance: <http://grants.nih.gov/grants/guide/notice-files/NOT-OD-05-034.html>

Reportable incidents include:

- Conditions that jeopardize the health or well-being of animals, including natural disasters, accidents, and mechanical failures, resulting in actual harm or death to animals;
- Conduct of animal-related activities without appropriate ACUC review and approval;
- Failure to adhere to ACUC-approved protocols;
- Implementation of any significant change to ACUC-approved protocols without prior ACUC approval;
- Conduct of animal-related activities beyond the expiration date established by the ACUC;
- Chronic failure to provide space for animals in accordance with recommendations of the Guide;
- Participation in animal-related activities by individuals who have not been appropriately trained;
- Failure to monitor animals post-procedurally as necessary to ensure well-being;
- Failure to maintain appropriate animal-related records (e.g., identification, medical, husbandry);
- Failure to ensure death of animals after euthanasia procedures;
- Failure of animal care and use personnel to carry out veterinary orders (e.g., treatments).

If you are uncertain about whether an incident or activity should be reported, please report it.

Upon notification of an incident, and following my review of the results of any related investigation, I will report noncompliant activities and the resultant corrective actions to OLAW.

In summary, I strongly encourage any individual who has concerns related to the use of animals in research at NIH to voice those concerns. I stress that NIH will not tolerate any reprisal against an individual who has come forward with concerns involving the care and use of animals. Individuals who feel that a personnel action has been taken against them because they reported an apparent violation of animal care and use requirements, should present their case to their supervisor, their IC Director, the NIH Director, the Office of the Inspector General, or the Office of Special Counsel.

Please direct questions or comments regarding the intent or contents of this memorandum to me or to the Director, Office of Animal Care and Use, telephone: 301-496-5424.

Michael M. Gottesman, M.D.

Addressees:
IC Directors and Scientific Directors
IC Lab/Branch Chiefs
IC ACUC Members and Animal Program Directors
IC Facility Veterinarians and Animal Facility Managers
Animal Care Staff Members
NIH IRP Principal Investigators and Animal Users